TABLE OF CONTENTS

No. 1 January–February

The Trichomycetes: what are their relationships? ROBERT W. LICHTWARDT 1
Nitrogen and vitamin requirements for axenic growth of the haustorial mycoparasite, *Dispira cornuta*, STEPHEN M. BARKER AND H. L. BARNETT 21
The *Pleurotus ostreatus-sapidus* species complex, N. A. ANDERSON, S. S. WANG, AND J. W. SCHWANDT 28
Genetics of variation in *Botryotinia squamosa*, R. R. BERGQUIST AND J. W. LORBEER 36
Single-locus, two-allele basis for inheritance of the granular and a downy form of the ringworm fungus *Arthroderma benhamiae* (=*Trichophyton mentagrophytes* var. *granulosum*), JAMES MANIOTIS AND SZE-SHUEN CHU-CHEUNG 48
Slime-inhabiting geofungi in a polluted stream (winter/spring), JOHN NOELL 57
Ferrous iron and the growth of twenty isolates of *Phytophthora infestans* in synthetic media, VIDA MARIE CUPPETT AND VIRGIL GREENE LILLY 67
Evidence for and partial characterization of a nematode attraction substance HERBERT L. MONOSON, ALAN G. GALSKY, JUDITH A. GRIFFIN, AND ELEANOR J. MCGRATH 78
Some factors affecting wood degradation by thermophilic and thermotolerant fungi, A. OFOSU-ASIEDU AND ROGER S. SMITH 87
Amanita phalloides in the eastern United States, LEO J. TANGHE AND DONALD M. SIMONS 99
Studies on *Emmonsiella capsulata* I. Heterothallism and development of the ascocarp, K. J. KWON-CHUNG 109
Lipids of *Smittium culisetae*, MICHAEL A. PATRICK, VIJAY K. SANGAR, AND PATRICK R. DUGAN 122
Fungi of the Chesapeake Bay and its tributaries II. The genus *Conioscypha* CAROL A. SHEARER 128
Sorus development, spore morphology, and nuclear condition of *Gymnosporangium gaeumannii* ssp. *albertense*, YASUYUKI HIRATSUKA 137
Resting body formation by rhizoidal fusion in *Chytriomyces hyalinus*, ELIZABETH D. MOORE AND CHARLES E. MILLER 145
Influence of water on spore release in *Cookeina sulcipes*, M. H. ZOBERI 155
Role of marine fungi in the biochemistry of the oceans. V. Patterns of constitutive nutritional growth responses, PETER L. SGUROS, JOANNA RODRIGUES, AND JACQUELINE SIMMS 161
Sclerotiniaceae IV. *Martininia*, K. P. DUMONT 175
Brief Articles
COOKE on the 1968 Ohio foray 192
PANT AND TEWARI on the hairs of *Microstoma floccosum* 199
FIASSON AND PETERSEN on carotenes in *Clathrus ruber* 201
WELDEN AND BENNETT on *Podoscypha multizonata* and *P. ravenelii* 203
LOWE AND PEGLER on *Polyporus amygdalinus* and *P. pseudosulphureus* ... 208
DUNCAN on nutrition and fat production in *Penicillium lilacinum* 211
TANSEY on sterilization of soil sampling instruments 215
GLICK AND KWON-CHUNG on *Emmonsiella capsulata* and *Ajellomyces dermatitidis* 216
BRASELTON AND MILLER on centrioles in *Sorosphaera* 220
MILLER on a new gastroid genus related to *Gomphidius* 226
ERDOS on a new species of *Endemosarca* 229
COLLINS AND TANG on *Physarum polycephalum*: pH and plasmodium formation 232
KURTZMAN on agar-plug cutter and inoculation device 236
OFOSU-ASIEDU AND SMITH on thermophilic and thermotolerant fungi ... 240

KOHLMEYER on a new species of Ascomycetes 244
PRANCE on the mycological diet of the Yanomam Indians 248
COUCH AND ROMNEY on sexual reproduction in *Lagenidium giganteum* .. 250
Reviews 253
Briefly Noted 273

No. 2 March–April

Comments arising from "Hydnaceous fungi of the eastern Old World" by Dr. R. A. Maas Geesteranus, K. A. HARRISON 277
Corticolous Myxomycetes I: Two new species of *Didymium*, HAROLD W. KELLER AND TRAVIS E. BROOKS 286
Zinc stimulation of nitrogen assimilation by *Helminthosporium cynodontis*, FRANK A. PUGLIESE AND JAMES P. WHITE 295
Observations on *Lagenidium callinectes:* isolation and sporangial development, CHARLES E. BLAND AND HENRY V. AMERSON 310
The psilopezioid fungi. I. History, nomenclature, and delimitation of the psilopezioid genera, DONALD H. PFISTER 321
Effect of calcium on fruiting of *Cyathus stercoreus*, SHIH-HSIUNG LU 329
Phototropism in *Conidiobolus coronatus*, ROBERT M. PAGE AND RICHARD A. HUMBER 335
Quantitative and qualitative changes in proteins during morphogenesis of the basidiocarp of *Volvariella volvacea*, SHU-TING CHANG AND KIT-YOCK CHAN 355
Biochemical investigation on the capsule-amylose relationship in *Cryptococcus laurentii*, MOHAMED SALAH A. FODA, SAMIR M. BADR-ELDIN, AND HERMAN J. PHAFF 365
The occurrence and distribution of some aquatic Phycomycetes on Ross Island and the dry valleys of Victoria Land, Antarctica, JOHN S. KNOX AND ROBERT A. PATERSON 373
Formation of hyphae and chlamydospores by *Cryptococcus laurentii*, C. P. KURTZMAN 388
Studies on the fleshy fungi of Alaska. VI. Notes on *Gyromitra*, PHYLLIS E. KEMPTON AND VIRGINIA L. WELLS 396
The myxomyceticolous species of *Nectria*, GARY J. SAMUELS 401
Chemical composition of the cell wall of *Smittium culisetae* (Trichomycetes), VIJAY K. SANGAR AND PATRICK R. DUGAN 421
The nuclear cycle and the terminology of spore states in Uredinales, YASUYUKI HIRATSUKA 432
Factors affecting growth, sporulation, pathogenicity, and survival of *Ascochyta rabiei*, WALTER J. KAISER 444
Stromatic Neurosporas, S. C. JONG AND E. E. DAVIS 458
Brief Articles
GLEASON on uptake of amino acids by *Saprolegnia* 465
SINGER, LUCAS, AND WARREN on the *Marasmius*-blight fungus 468
KOWALSKI AND LAKHANPAL on a new species of *Didymium* from India 474
Ross on the Stemonitomycetidae, a new subclass of Myxomycetes 477
BIGELOW AND SMITH on *Cantharocybe*, a new genus of Agaricales 485
BLOCK, CATALFOMO, CONSTANTINE, AND KIRK on triglyceride fatty acids of higher marine fungi 488
Reviews 492
Errata 500
Briefly Noted 501
Financial Report 502

No. 3 May–June

Marinus Anton Donk (1908–1972), ROLF SINGER 503
Further studies on the genetics of plasmodial incompatibility in a Honduran isolate of *Didymium iridis*, JIM CLARK AND O'NEIL RAY COLLINS 507
Morphological abnormalities of fungi induced by volatile microbial metabolites, ELIZABETH MOORE-LANDECKER AND G. STOTZKY 519

Two new chytrids from the Appalachian Highlands, MARTHA K. ROANE 531
Utilization of carbon compounds by *Helminthosporium maydis* and *H. carbonum*, J. J. ELLIS, G. A. BENNETT, AND C. W. HESSELTINE 539
The mating system and some other cultural aspects of *Veluticeps berkeleyi*, KENNETH J. MARTIN AND R. L. GILBERTSON 548
Uptake and metabolism of succinic acid by washed mycelium of *Claviceps purpurea*, WILLARD A. TABER 558
Mycoparasitism by *Stephanoma phaeospora*, VIJAI RAKVIDHYASASTRA AND EDWARD E. BUTLER 580
Isolation of thermophilic fungi from alligator nesting material, MICHAEL R. TANSEY 594
Chemical and taxonomic studies on some corticolous members of the lichen genus *Cetraria* in western North America, THEODORE L. ESSLINGER 602
Spathulosporales, a new order and possible missing link between Laboulbeniales and Pyrenomycetes, JAN KOHLMEYER 614
California Ascomycetes: four new species and a new record, DAVID MALLOCH AND GERALD L. BENNY 648
Taxonomic studies of *Phialophora*, GARRY T. COLE AND BRYCE KENDRICK .. 661
Brief Articles
SCHANZLE on *Daedalea quercina* forma *trametea* in Illinois 689
HUANG on *Zopfiella flammifera*, a new species from Nigerian soil 690
MORGAN-JONES AND HULTON on a rapid nuclear stain 694
HODGES AND PERRY on a new species of *Eupenicillium* from soil 697
THAUNG on a new genus of rusts from Burma 702
FUKUKI AND ARAGAKI on perithecial formation by *Cochliobolus heterostrophus* 705
SHARMA AND MUKERJI on asexual complementation in *Phoma exigua* .. 709
Reviews 713

No. 4 July–August

Fred Jay Seaver, 1877–1970, CLARK T. ROGERSON 721
On the identity of *Polyporus lacteus*, JOSIAH L. LOWE AND FRANCES F. LOMBARD 725
Helicostylum and *Thamnostylum* (Mucorales), H. P. UPADHYAY 733
Ascocarps of *Aspergillus stromatoides*, *A. niveus*, and *A. flavipes*, B. J. WILEY AND D. I. FENNELL 752
Three hyperparasites of Ascomycetes, K. A. PIROZYNSKI 761
Corticolous Myxomycetes II: Notes on *Minakatella longifila* with ultrastructural evidence for its transfer to the Trichiaceae, HAROLD W. KELLER, HENRY C. ALDRICH, AND TRAVIS E. BROOKS 768
South American Gasteromycetes. The genera *Gastropila*, *Lanopila* and *Mycenastrum*, MARÍA H. HOMRICH AND JORGE E. WRIGHT 779
Hemiascosporiaceae (Hemiascomycetidae: Dipodascales), a new family based on *Hemiascosporium spinulosum*, LEKH R. BATRA 795
Comparative enzyme patterns in *Thamnidium elegans* and *T. anomalum*, DANIEL L. STOUT AND CHARLES R. SHAW 803
Induction of haploid fruiting by mechanical injury in *Schizophyllum commune*, THOMAS J. LEONARD AND STANLEY DICK 809
Entomogenous fungi: *Entomophthora* species with pear-shaped to almost spherical conidia (Entomophthorales: Entomophthoraceae), DONALD M. MACLEOD AND ERWIN MÜLLER-KÖGLER 823
Fungi associated with the roots of red mangrove, *Rhizophora mangle*, BENNY K. H. LEE AND GLADYS E. BAKER 894
Brief Articles
ROGERS on photoresponses of *Coprinus stercorarius* 907
O'DONNELL AND BENEKE on *Peziza quelepidotia* in pure culture 913
MESTERHAZY on anastomosis in *Fusarium* 916
CHU AND CHANG on pecteolytic enzymes of *Byssochlamys fulva* 920
SUNDBERG AND WICKLOW on *Sadasivania* 925
TAVARES on *Acallomyces* and *Polyascomyces* 929

WILEY AND SIMMONS on new species and a new genus of Plectomycetes 934
TUBAKI on *Emericellopsis* and *Cephalosporium* in aquatic sediments ... 938
TU AND KIMBROUGH on a rapid staining technique 941
SEYMOUR AND JOHNSON on an oomycete infecting rotifer eggs 944
HUANG AND SCHMITT on *Gliocephalotrichum ohiense* 948
PFISTER on *Nanoscypha tetraspora* 952
PETERSEN on 1st International Symposium on Taxonomy of Fungi, Madras, 1973 956
SANGAR ET AL. on lipid composition of an *Alternaria* sp. 958
STUART ET AL. on alcohol dehydrogenase in Mucorales 963
AMERSON AND BLAND on polycomplexes in nucleus of *Lagenidium callinectes* 966
UMPHLETT on identity of a *Lagenidium* which kills mosquito larvae ... 970
SIMONSON AND LIBERTA on sporulation of *Sistotrema brinkmannii* 972
Reviews 975
Notice 984

No. 5 September–October

George Willard Martin (1886–1971), KENNETH WELLS AND PAUL L. LENTZ 985
Enzymes for carbohydrate catabolism in the mycoparasite *Tieghemiomyces parasiticus*, FRANK L. BINDER AND H. L. BARNETT 999
Lateral branch formation and cellulase production in the water molds, J. THOMAS MULLINS 1007
Development of the ascocarp and cytology of *Lophodermella morbida*, F. A. UECKER AND J. M. STALEY 1015
Hülle cell development in *Emericella nidulans*, TIM T. ELLIS, DON R. REYNOLDS, AND CONSTANTINE J. ALEXOPOULOS 1028
Anthracobia, *Ascodesmis*, *Pyronema*, and *Trichophaea* in culture, J. E. ROXON AND L. R. BATRA 1036
Geographical distribution of Acrasieae, JAMES C. CAVENDER 1044
The genus *Thielavia*, DAVID MALLOCH AND R. F. CAIN 1055
Improved *p*H control of fungal culture media, J. J. CHILD, C. KNAPP, AND D. E. EVELEIGH 1078
Thermophilic fungi in a municipal waste compost system, B. E. KANE AND J. T. MULLINS 1087
The genus *Clitocybula*, HOWARD E. BIGELOW 1101
A new *Poria* from southern Arizona, R. L. GILBERTSON AND E. R. CANFIELD 1117
Gloeosporium cercocarpi and *Sphaceloma cercocarpi*, B. C. SUTTON AND FLORA G. POLLACK 1125
An appraisal of identification methods for *Penicillium* species; novel taxonomic criteria based on temperature and water relations, JOHN I. PITT 1135
Host-parasite relations in the Gibberidea disease of *Helianthus strumosus*, D. L. MASON 1158
Current concepts of thermophilism and the thermophilic fungi, ELI V. CRISAN 1171
Brief Articles
FERGUS on *Peridoxylan petersii* on oak in Pennsylvania 1199
FERGUS on a mycelial mass of *Polyporus sulphureus* 1200
PAPA on the parasexual cycle in *Aspergillus flavus* 1201
ARAGAKI ET AL. on conidiophores in *Alternaria tomato* 1205
LAMPKY AND LAMPKY on *Pisolithus* in central Florida 1210
COOKE on *Chaetomium trilaterale* 1212
Reviews 1221
Briefly Noted 1227

No. 6 November–December

Nonrandom survival of *Cochliobolus carbonum* ascospores in asci bearing less than eight ascospores, K. J. LEONARD 1229
Sexuality, incompatibility, and intersterility in the biology of the *Sistotrema brinkmannii* aggregate, ROBERT C. ULLRICH 1234

The Thelephoraceae of India—X, K. S. THIND AND S. S. RATTAN 1250
Phytophthora fragariae race characterization with gas-liquid chromatographic lipid analysis, JOHN L. MAAS 1259
Increased aflatoxin G_1 production by *Aspergillus flavus* via gamma irradiation, KENNETH L. APPLEGATE AND JOHN R. CHIPLEY 1266
Dimorphism of *Cokeromyces poitrasii* and *Mycotypha microspora*, J. S. PRICE, R. STORCK, AND F. H. GLEASON 1274
A myxomycete with a singular myxamoebal encystment stage, KENNETH B. RAPER AND CONSTANTINE J. ALEXOPOULOS 1284
Fungi from *Spartina alterniflora* in Rhode Island, ROBERT V. GESSNER AND R. D. GOOS 1296
Nutritional studies of *Labyrinthula* sp. ELLIS E. SYKES AND DAVID PORTER 1302
Saprolegniaceae: a keratinophilic *Aphanomyces* from soil, R. L. SEYMOUR AND T. W. JOHNSON, JR. 1312
Some distributional relationships between Mexican and United States mycofloras, GASTÓN GUZMÁN 1319
Three monocentric chytrids, F. K. SPARROW 1331
Aquatic fungi of Iceland: some polycentric species, T. W. JOHNSON, JR. 1337
The genera *Duplicaria* (Rhytismataceae) and *Crandallia* (Leptostromataceae), PAUL E. POWELL 1356
Brief Articles
KIDD AND WOLF on dimorphism in a pathogenic *Fusarium* 1371
THIERS AND SMITH on a new species of *Suillus* 1375
Reviews 1378
Errata 1382
Notices 1383
Index to Volume 65 1385

U. S. POSTAL SERVICE

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Act of August 12, 1970: Section 3685, Title 39, United States Code)

SEE INSTRUCTIONS ON PAGE 2 (REVERSE)

1. TITLE OF PUBLICATION
MYCOLOGIA

2. DATE OF FILING
Sept. 28, 1973

3. FREQUENCY OF ISSUE
BI-MONTHLY

4. LOCATION OF KNOWN OFFICE OF PUBLICATION *(Street, city, county, state, ZIP code) (Not printers)*
PRINCE & LEMON STREETS, LANCASTER, PENNSYLVANIA 17604

5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS *(Not printers)*
THE NEW YORK BOTANICAL GARDEN, BRONX, NEW YORK 10458

6. NAMES AND ADDRESSES OF PUBLISHER, EDITOR, AND MANAGING EDITOR

PUBLISHER *(Name and address)*
THE NEW YORK BOTANICAL GARDEN, BRONX, NEW YORK 10458

EDITOR *(Name and address)*
RICHARD K. BENJAMIN, RANCHO SANTA ANA BOTANIC GARDEN, CLAREMONT, CAL.

MANAGER EDITOR *(Name and address)*
CLARK T. ROGERSON, THE NEW YORK BOTANICAL GARDEN, BRONX, NEW YORK

7. OWNER *(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given.)*

NAME	ADDRESS
Wholly owned by the New York Botanical Garden. No Stockholders.	The New York Botanical Garden Bronx, New York 10458

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES *(If there are none, so state)*

NAME	ADDRESS
None	

9. FOR OPTIONAL COMPLETION BY PUBLISHERS MAILING AT THE REGULAR RATES (Section 132.121, Postal Service Manual)

39 U. S. C. 3626 provides in pertinent part: "No person who would have been entitled to mail matter under former section 4359 of this title shall mail such matter at the rates provided under this subsection unless he files annually with the Postal Service a written request for permission to mail matter at such rates."

In accordance with the provisions of this statute, I hereby request permission to mail the publication named in Item 1 at the reduced postage rates presently authorized by 39 U. S. C. 3626.

(Signature and title of editor, publisher, business manager, or owner)
Manager of Publications
The New York Botanical Garden

10. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES *(Section 132.122, Postal Manual)*
(Check one)

The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes: ☒ Have not changed during preceding 12 months ☐ Have changed during preceding 12 months *(If changed, publisher must submit explanation of change with this statement.)*

11. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NUMBER OF COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES PRINTED *(Net Press Run)*	3450	3504
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES	0	0
2. MAIL SUBSCRIPTIONS	2600	2607
C. TOTAL PAID CIRCULATION	2600	2607
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS 1. SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	10	13
2. COPIES DISTRIBUTED TO NEWS AGENTS, BUT NOT SOLD	0	0
E. TOTAL DISTRIBUTION *(Sum of C and D)*	2610	2620
F. OFFICE USE, LEFT-OVER, UNACCOUNTED, SPOILED AFTER PRINTING	840	884
G. TOTAL *(Sum of E & F—should equal net press run shown in A)*	3450	3504

(Signature of editor, publisher, business manager, or owner)

I certify that the statements made by me above are correct and complete.

Manager of Publications
The New York Botanical Garden

PS Form 3526 July 1971

INDEX TO VOLUME LXV*

The Index for Volume 65 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

Account of fungus exsiccati containing material from the Americas; review 492
Acrasieae 1044
Aflatoxin
  Aspergillus 1266
Agar-plug cutter and inoculation device 236
Agaricales 485
Alaska, fleshy fungi 396
Alcohol dehydrogenase in Mucorales. II. 963
Aldrich, Henry C. See Keller et al. 768
Alexopoulos, Constantine J. See Ellis et al. 1028
———. See Raper and Alexopoulos 1284
Algae
  Ballia 614–647
  Chlamydomonas 375
Alligator nesting material 594
Amanita phalloides in the eastern United States 99
Amerson, Henry V. See Bland and Amerson 310
——— and C. E. Bland. The occurrence of polycomplexes in the nucleus of encysting spores of Lagenidium callinectes, a marine phycomycete 966
Amino acids 465
Amoebidiaceae 2
Amoebidiales 2
Anderson, N. A., S. S. Wang, and J. W. Schwandt. The Pleurotus ostreatus-sapidus species complex 28
Animals
  Aedes 967
  Aepus 645
  Alligator 594
Annual review of phytopathology, vol. 10, 1972; review 1227
Antarctica, aquatic Phycomycetes 373
Anthracobia, Ascodesmis, Pyronema, and Trichophaea in culture 1036
Apothecial formation by Peziza quelepidotia in pure culture 913
Appalachian Highlands
  chytrids 531
Applegate, Kenneth L. and John R. Chipley. Increased aflatoxin G_1 production by Aspergillus flavus via gamma irradiation 1266
Appraisal of identification methods for Penicillium species: novel taxonomic criteria based on temperature and water relations 1135
Appressorial fans 42
Aquatic fungi of Iceland: some polycentric species 1337
Aquatic Phycomycetes 373
Aquatic sediment as a habitat of Emericellopsis, with a description of an undescribed species of Cephalosporium 938
Aragaki, M., K. M. Nishimoto, and J. W. Hylin. Vegetative reversion of conidiophores in Alternaria tomato 1205
———. See Fukuki and Aragaki 705
Arctic adaptations in plants; review 268
Arizona
  Poria 1117

*Volumes 1 through 58 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: MYCOLOGIA INDEX, VOLUMES 1 THROUGH 58 (1909–1966). xvi + 1108 pages. Price: $40.00. Available from: Stechert-Hafner Service Agency, 866 Third Ave., New York, N. Y. 10022.

Arnold, F. Gesammelte Lichenologische Schriften; notice 1382
Asclerotial mutants 43
Ascocarp 109
Ascocarps of Aspergillus stromatoides, A. niveus, and A. flavipes 752
Ascomycetes 195, 244, 761
Ascomycetes
California 648
evolution 642
Ascospore germination 952
Asellariaceae 2
Asellariales 2
Asexual complementation affecting pycnidium production in Phoma exigua 709
Atlas of spores of selected genera and species of Streptomycetaceae; review 497
Australia, Chadefaudia 244
Axenic growth
Dispira 21
Stephanoma 586

Badr-Eldin, Samir M. See Foda et al. 365
Baker, Gladys E. See Lee and Baker 894
Baker, K. F. (ed.) Annual review of phytopathology, volume 10, 1972; review 1227
Balletto, Cesare. Saggio di flora micologica analitica; review 274
Barker, Stephen M. and H. L. Barnett. Nitrogen and vitamin requirements for axenic growth of the haustorial mycoparasite, Dispira cornuta 21
Barnett, H. L. See Barker and Barnett 21
———. See Binder and Barnett 999
Barron, George L. The genera of Hyphomycetes from soil; review 1227
Basidiocarp
development 907
maturation 907
Volvariella 355
Basidiomycetes 196
Basidiospore morphology in the Agaricales; review 257
Batra, Lekh R. Hemiascosporiaceae (Hemiascomycetidae: Dipodascales), a new family based on Hemiascosporium spinulosum 795
———. See Roxon and Batra 1036
Beneke, E. S. See O'Donnell and Beneke 913
Bennett, G. A. See Ellis et al. 539
Bennett, Joan W. See Welden and Bennett 203
Benny, Gerald L. See Malloch and Benny 648
Bergquist, R. R. and J. W. Lorbeer. Genetics of variation in Botryotinia squamosa 36
Bigelow, Howard E. and Alexander H. Smith. Cantharocybe, a new genus of Agaricales 485
———. The genus Clitocybula 1101
Bigelow, M. E. Barr. [Review of] The genus Herpotrichia Fuckel 270
Binder, Frank L. and H. L. Barnett. Enzymes for carbohydrate catabolism in the mycoparasite Tieghemiomyces parasiticus 999
Biochemical investigation on the capsule-amylose relationship in Cryptococcus laurentii 365
Biochemistry, oceans 161
Biographies
Donk, Marinus Anton 503
Bipolar heterothallism
Sistotrema 1239
Bland, Charles E. and Henry V. Amerson. Observations on Lagenidium callinectes: Isolation and sporangial development 310
———. See Amerson and Bland 966
Block, J. H., P. Catalfomo, G. H. Constantine, Jr., and P. W. Kirk, Jr. Triglyceride fatty acids of selected higher marine fungi 488
Boletus in Malaysia; review 1223
Botran resistance 43
Braselton, James P. and Charles E. Miller. Centrioles in Sorosphaera 220
Brooks, Travis E. See Keller et al. 768
———. See Keller and Brooks 286
Burdsall, Harold H. [Review of] Monographie der Athelieae (Corticiaceae, Basidiomycetes) 469
Burma
rusts 702
Butler, Edward E. See Rakvidhyasastra and Butler 580

Cain, R. F. See Malloch and Cain 1055
California Ascomycetes: four new species and a new record 648
Canfield, E. R. See Gilbertson and Canfield 1117
Cantharocybe, a new genus of Agaricales 485
Capsule-amylose relationship 365
Carbohydrate catabolism
Tieghemiomyces 999
Carbon effect
Sistotrema 972
Tieghemiomyces 1002
Carbon sources 164

Carbon utilization
Helminthosporium 539
Caribbean Discomycetes 952
Carotenes in the fungus Clathrus ruber (Gasteromycetes) 201
Carroll, George. [Review of] Principles of fungal taxonomy 498
Catalfomo, P. See Block et al. 488
Cavender, James C. Geographical distribution of Acrasieae 1044
CBE style manual; review 275
Cell wall composition
Trichomycetes 17, 421
Cellular slime molds 1044
Cellulase production, water molds 1007
Cellulolytic fungi 170
Centrioles in Sorosphaera 220
Cephalosporium-artige Schimmelpilze (Hyphomycetes). [Cephalosporium-like mould fungi (Hyphomycetes)]; review 253
Ceratiomyxomycetidae 483
Chadefaudia balliae, a new species of Ascomycetes on Ballia in Australia 244
Chan, Kit-Yock. See Chang and Chan 355
Chang, Chi. C. See Chu and Chang 920
Chang, Shu-Ting and Kit-Yock Chan. Quantitative and qualitative changes in proteins during morphogenesis of the basidiocarp of Volvariella volvacea 355
Chemical and taxonomic studies on some corticolous members of the lichen genus Cetraria in western North America 602
Chemical composition of the cell wall of Smittium culisetae (Trichomycetes) 421
Chemical reaction of the hairs of Microstoma floccosum 199
Chespeake Bay fungi 128
Child, J. J., C. Knapp, and D. E. Eveleigh. Improved pH control of fungal culture media 1078
Chipley, John R. See Applegate and Chipley 1266
Chu-Cheung, Sze-Shuen. See Maniotis and Chu-Cheung 48
Chu, Fun Sun and Chi C. Chang. Pecteolytic enzymes of eight Byssochlamys fulva isolates 920
Chlamydospores 388
Chytridiomycetes 195
Chytrids 531
monocentric 1331
Clark, Jim and O'Neil Ray Collins. Further studies on the genetics of plasmodial incompatibility in a Honduran isolate of Didymium iridis 507
Cole, Garry T. and Bryce Kendrick. Taxonomic studies of Phialophora 661
Collegiate dictionary of botany; review 274
Collins, O'Neil Ray and Hsi-Chang Tang. Physarum polycephalum: pH and plasmodium formation 232
———. See Clark and Collins 507
Comments arising from "Hydnaceous fungi of the eastern old world" by Dr. R. A. Maas Geesteranus 277
Comparative enzyme patterns in Thamnidium elegans and T. anomalum 803
Conidiating mutant 43
Constantine, G. H., Jr. See Block et al. 488
Cooke, John C. Variation in isolates of Chaetomium trilaterale 1212
Cooke, Wm. Bridge. The 1968 Ohio foray 192
———. [Review of] Cephalosporium-artige Schimmelpilze (Hyphomycetes). [Cephalosporium-like mould fungi (Hyphomycetes)] 253
Corner, E. J. H. [Review of] Tropical macrofungi—some common species 981
———. Boletus in Malaysia; review 1223
Corticolous lichens
Cetraria 602
Corticolous myxomycetes I: Two new species of Didymium 286
Corticolous Myxomycetes II: notes on Minakatella longifila with ultrastructural evidence for its transfer to the Trichiaceae 768
Couch, J. N. and S. V. Romney. Sexual reproduction in Lagenidium giganteum 250
Crisan, Eli V. Current concepts of thermophilism and the thermophilic fungi 1171
Cryptogamae formationum coloradensium; review 275
Cultural characteristics and mating-type behavior in Podoscypha multizonata and P. ravenelii 203
Culture
Nanoscypha 952
Veluticeps 548
submerged 211
Cuppett, Vida Marie and Virgil Greene Lilly. Ferrous iron and the growth of twenty isolates of Phytophthora infestans in synthetic media 67
Curl, Elroy A. See Johnson and Curl 263

Current concepts of thermophilism and the thermophilic fungi 1171
Cytology
Gymnosporangium 137
Lophodermella 1015
Uredinales 432

Daedalea quercina forma trametea in Illinois 689
Davis, E. E. See Jong and Davis 458
Degradation of three softwoods by thermophilic and thermotolerant fungi 240
De Hoog, G. S. The genera Beauveria, Isaria, Tritirachium and Acrodontium; review 976
Dehydrogenase 963
Dennis, R. W. G. Fungus flora of Venezuela and adjacent countries; review 493
Development of the ascocarp and cytology of Lophodermella morbida 1015
Dick, Stanley. See Leonard and Dick 809
Dickinson, C. H. See Peerce and Dickinson 267
Dimorphism in a pathogenic Fusarium 1371
Dimorphism of Cokeromyces poitrasii and Mycotypha microspora 1274
Dipodascales 795
Distributional relationships between Mexican and United States mycofloras 1319
Donk, Marinus Anton; biography 503
Downy ringworm 48
Dugan, Patrick R. See Patrick et al. 122
———. See Sangar and Dugan 421
———. See Sangar et al. 958
Dumont, K. P. Sclerotiniaceae IV. Martininia 175
Duncan, Bettie. Nutrition and fat production in submerged cultures of a strain of Penicillium lilacinum 211

Eccrinaceae 2
Eccrinales 2
Ecology
mangrove 894
Ecology of heathlands; notice 1382
Ecology of leaf surface micro-organisms; review 267
Ecology of soil fungi: review 713
Effect of calcium on fruiting of Cyathus stercoreus 329
Effect of phosphate concentration Cryptococcus 370
Effects of carbon and nitrogen sources on sporulation of Sistotrema brinkmannii 972
Electrophoretic studies 355
Ellis, J. J., G. A. Bennett, and C. W. Hesseltine. Utilization of carbon compounds by Helminthosporium maydis and H. carbonum 539
Ellis, Tim T., Don R. Reynolds, and Constantine J. Alexopoulos. Hülle cell development in Emericella nidulans 1028
Encystment
Didymium 1284
spores 966
Entomogenous fungi: Entomophthora species with pear-shaped to almost spherical conidia (Entomophthorales: Entomophthoraceae) 823
Entomophthoraceae 823
Entomophthorales 823
Enzymes
Byssochlamys 920
patterns 803
Enzymes for carbohydrate catabolism in the mycoparasite Tieghemiomyces parasiticus 999
Erdos, Gregory W. A new species of Endemosarca from the Seychelles 229
Errata 500, 1382
Esslinger, Theodore L. Chemical and taxonomic studies on some corticolous members of the lichen genus Cetraria in western North America 602
Eveleigh, D. E. See Child et al. 1078
Evidence for and partial characterization of a nematode attraction substance 78

Factors affecting growth, sporulation, pathogenicity, and survival of Ascochyta rabiei 444
Fat production, Penicillium 211
Fatty acids
Smittium 123
Fennell, D. I. See Wiley and Fennell 752
———. [Review of] The genus Talaromyces: studies on Talaromyces and related genera II. 1221
Fergus, C. L. Peridoxylon petersii on oak in Pennsylvania 1199
———. A mycelial mass of Polyporus sulphureus 1200
Ferrous iron and the growth of twenty isolates of Phytophthora infestans in synthetic media 67
Fiasson, J. L. and Ronald H. Petersen. Carotenes in the fungus Clathrus ruber (Gasteromycetes) 201
First international symposium on taxonomy of fungi, University of Madras, January 15–22, 1973 956

Florida
Pisolithus 1210
Forays
Ohio 1968 192
Fleshy fungi, Alaska 396
Foda, Mohamed Salah A., Samir M. Badr-Eldin, and Herman J. Phaff. Biochemical investigation on the capsule-amylose relationship in Cryptococcus laurentii 365
Formation of hyphae and chlamydospores by Cryptococcus laurentii 388
Fruiting, Cyathus stercoreus 329
Fukuki, Kate A. and M. Aragaki. Perithecial formation by Cochliobolus heterostrophus on dialyzing membrane 765
Fungal spores: Their liberation and dispersal; review 259
Fungi associated with the roots of red mangrove, Rhizophora mangle 894
Fungi argentini; review 271
Fungi argentini novi; review 271
Fungi from Spartina alterniflora in Rhode Island 1296
Fungi guaranitici; review 271
Fungi Imperfecti 196, 925
Fungi in the laboratory; review 1380
Fungi of the Chesapeake Bay and its tributaries II. The genus Coniocypha 128
Fungus flora of Venezuela and adjacent countries; review 493
Fungus-host index for Greece; review 1381
Further studies on the genetics of plasmodial incompatibility in a Honduran isolate of Didymium iridis 507

Galsky, Alan G. See Monoson et al. 78
Gamma irradiation
Aspergillus 1266
Gams, Walter. Cephalosporium-artige Schimmelpilze (Hyphomycetes). [Cephalosporium-like mould fungi (Hyphomycetes)]; review 253
Gas-liquid chromatography
Phytophthora 1259
Gasteromycetes 201, 779
Genera Beauveria, Isaria, Tritirachium and Acrodontium; review 976
Genera Duplicaria (Rhytismataceae) and Crandallia (Leptostromataceae) 1356
Genera of Hyphomycetes from soil; review 1227
Gene symbolism 39
Genetics
Arthroderma 48
Aspergillus 1201, 1266
Cochliobolus 1229
Didymium 507
Podoscypha 203
Schizophyllum 809
Sistotrema 1234
Veluticeps 548
Genetics of variation in Botryotinia squamosa 36
Genistellaceae 2
Genus Clitocybula 1101
Genus Herpotrichia Fuckel; review 270
Genus Talaromyces: studies on Talaromyces and related genera II; review 1221
Genus Thielavia 1055
Geofungi 57
Geographical distribution of Acrasieae 1044
Germination
Conidiobolus 341
Gesammelte Lichenologische Schriften; notice 1382
Gessner, Robert V. and R. D. Goos. Fungi from Spartina alterniflora in Rhode Island 1296
Gilbertson, R. L. See Martin and Gilbertson 548
——— and E. R. Canfield. A new Poria from southern Arizona 1117
Gimingham, C. H. Ecology of heathlands; notice 1382
Gleason, Frank H. Uptake of amino acids by Saprolegnia 465
———. See Stuart et al. 963
Glick, Alan D. and K. J. Kwon-Chung. Ultrastructural comparison of coils and ascospores of Emmonsiella capsulata and Ajellomyces dermatitidis 216
Gliocephalotrichum ohiense, a new species from Ohio soil 948
Gloeosporium cercocarpi and Sphaceloma cercocarpi 1125
Glucose effect
Cokeromyces 1276
Mycotypha 1279
Phytophthora 72
Goos, R. D. See Gessner and Goos 1296
Granular ringworm 48
Griffin, D. M. Ecology of soil fungi; review 713
Griffin, Judith A. See Monoson et al. 78
Growth
Ascochyta 444
Nanoscypha 952
Phytophthora 67
Growth factor
Stephanoma 587

Growth responses
Culcitalna 161
Halosphaeria 161
Humicola 161
Grundzüge eines natürlichen Systems der Pilze; review 1378
Guzman, Gastón. Some distributional relationships between Mexican and United States mycofloras 1319

Haploid fruiting 809
Harpellaceae 2
Harpellales 2
Harrison, K. A. Comments arising from "Hydnaceous fungi of the eastern old world" by Dr. R. A. Maas Geesteranus 27
———. [Review of] Mushrooms of North America 977
Haustoria
Dispira 21
Helicostylum and Thamnostylum (Mucorales) 733
Hemiascomycetidae 795
Hemiascosporiaceae (Hemiascomycetidae: Dipodascales), a new family based on Hemiascosporium spinulosum 795
Hesseltine, C. W. See Ellis et al. 539
Heterothallism 109
Hiratsuka, Yasuyuki. Sorus development, spore morphology and nuclear condition of Gymnosporangium gaeumannii ssp albertense 137
———. The nuclear cycle and the terminology of spore states in Uredinales 432
Histoire et classification des Discomycetes d'Europe; review 501
Hodges, C. S., Jr. and Jerome J. Perry. A new species of Eupenicillium from soil 697
Holdfasts
Trichomycetes 15
Homokaryotic fruiting
Sistotrema 1242
Homothallism
Sistotrema 1238
Homrich, María H. and Jorge E. Wright. South American Gasteromycetes. The genera Gastropila, Lanopila and Mycenastrum 779
Honduran isolate, Didymium 507
Host-parasite relations in the Gibberidea disease of Helianthus strumosus 1158
Huang, L. H. Zopfiella flammifera, a new species from Nigerian soil 690
——— and J. A. Schmitt. Gliocephalotrichum ohiense, a new species from Ohio soil 948
Hülle cell development in Emericella nidulans 1028
Hulton, R. L. See Morgan-Jones and Hulton 694
Humber, Richard A. See Page and Humber 335
Hybridization techniques 37
Hydnaceous fungi of the eastern old world 277
Hydrogen ion control
media 1078
Hydrogen ion effect
Conidiobolus 340
Cryptococcus 367
Physarum 232
Hylin, J. W. See Aragaki et al. 1205
Hyperparasites 761
Hypodermataceae 1016

Iceland
aquatic fungi 1337
Icones Genera Coelomycetarum; review 717
Illinois
Daedalea 689
Improved pH control of fungal culture media 1078
Incompatibility
Sistotrema 1234
Increased aflatoxin G_1 production by Aspergillus flavus via gamma irradiation 1266
Index of fungi; review 494
India
Thelephoraceae 1250
Induction of haploid fruiting by mechanical injury in Schizophyllum commune 809
Influence of water on spore release in Cookeina sulcipes 155
Ingold, C. T. Fungal spores: Their liberation and dispersal; review 259
Intersterility
Sistotrema 1234
Iron effect
Phytophthora 71
Isolation, Lagenidium 310
Isolation of thermophilic fungi from alligator nesting material 594
Isotope studies
Tieghemiomyces 1001

Johnson, Leander F. and Elroy A. Curl. Methods for research on the ecology of soil-borne plant pathogens; review 263
Johnson, T. W., Jr. See Seymour and Johnson 944
———. See Seymour and Johnson 1312
———. Aquatic fungi of Iceland: some polycentric species 1337

Jong, S. C. and E. E. Davis. Stromatic Neurosporas 458
Jülich, Walter. Monographie der Athelieae (Corticiaceae, Basidiomycetes); review 496

Kaiser, Walter J. Factors affecting growth, sporulation, pathogenicity, and survival of Ascochyta rabiei 444
Kane, B. E. and J. T. Mullins. Thermophilic fungi in a municipal waste compost system 1087
Keller, Harold W. and Travis E. Brooks. Corticolous myxomycetes I: Two new species of Didymium 286
———, Henry C. Aldrich, and Travis E. Brooks. Corticolous Myxomycetes II: notes on Minakatella longifila with ultrastructural evidence for its transfer to the Trichiaceae 768
Kempton, Phyllis E. and Virginia L. Wells. Studies on the fleshy fungi of Alaska. VI. Notes on Gyromitra 396
Kendrick, Bryce. See Cole and Kendrick 661
———. See Morgan-Jones et al. 717
———. [Review of] The genera Beauveria, Isaria, Tritirachium and Acrodontium 976
Keratinophile
Aphanomyces 1312
Keys
Cetraria, corticolous species 610
cleistothecial Ascomycetes, genera 1055
Clitocybula, species 1102
Entomophthora, species 832
Helicostylum, species 735
Mycetozoa, subclasses 484
Myxomycetes, subclasses 483
Nectria, myxomyceticolous species 403
Phialophora, wood-inhabiting species 679
psilopezioid fungi, genera 326
Spathulospora, species 631
Thamnostylum, species 742
Kidd, George H. and Frederick T. Wolf. Dimorphism in a pathogenic Fusarium 1371
Kimbrough, J. W. See Tu and Kimbrough 941
Kirk, P. W., Jr. See Block et al. 488
Knapp, C. See Child et al. 1078
Knox, John S. and Robert A. Paterson. The occurrence and distribution of some aquatic Phycomycetes on Ross Island and the dry valleys of Victoria Land, Antarctica 373
Koch, William J. Fungi in the laboratory; review 1381
Kohlmeyer, Jan. Chadefaudia balliae, a new species of Ascomycetes on Ballia in Australia 244
———. Spathulosporales, a new order and possible missing link between Laboulbeniales and Pyrenomycetes 614
Korf, R. P. [Review of] An account of fungus exsiccati containing material from the Americas 492
———. [Review of] Fungi argentini 271
———. [Review of] Fungi argentini novi 271
———. [Review of] Fungi guaranitici 271
———. [Review of] Fungus flora of Venezuela and adjacent countries 493
———. [Review of] Index of fungi 494
———. [Review of] Michelia 495
———. [Review of] Fungi in the laboratory 1381
Kowalski, Donald T. and T. N. Lakhanpal. A new species of Didymium from India 474
Kramer, C. L. [Review of] Ecology of leaf surface micro-organisms 267
Kreisel, Hanns. Die Grundzüge eines natürlichen Systems der Pilze; review 1378
Kryptogamenflora für Anfänger; notice 1382
Kurtzman, C. P. Formation of hyphae and chlamydospores by Cryptococcus laurentii 388
Kurtzman, R. H., Jr. Agar-plug cutter and inoculation device 236
Kurylowicz, W. et al. Atlas of spores of selected genera and species of Streptomycetaceae; review 497
Kwon-Chung, K. J. See Glick and Kwon-Chung 216
———. Studies on Emmonsiella capsulata. I. Heterothallism and development of the ascocarp 109

Laboulbeniales, 614, 929
La Force, William R. See Stuart et al. 963
Lakhanpal, T. N. See Kowalski and Lakhanpal 474
Lampky, James R. See Lampky and Lampky 1210
Lampky, Shirley Ann and James R. Lampky. Pisolithus in central Florida 1210

Lateral branch formation and cellulase production in the water molds 1007
Lechevalier, Hubert. [Review of] Atlas of spores of selected genera and species of Streptomycetaceae 497
Lee, Benny K. H. and Gladys E. Baker. Fungi associated with the roots of red mangrove, Rhizophora mangle 894
Lentz, Paul L. [Review of] A monograph of the genus Chaetomium 717
———. See Wells and Lentz 985
Leonard, K. J. Nonrandom survival of Cochliobolus carbonum ascospores in asci bearing less than eight ascospores 1229
Leonard, Thomas J. and Stanley Dick. Induction of haploid fruiting by mechanical injury in Schizophyllum commune 809
Leptostromataceae 1356
Liberta, Anthony E. See Simonson and Liberta 972
Light and electron microscopic studies of Ascobolus stercorarius. II. Ascus and ascospore ontogeny; review 1226
Lipid composition of a species of Alternaria of the "Alternaria alternata group" 958
Lichenes 196
Lichens, western North America
Cetraria 602
Lichtwardt, Robert W. The Trichomycetes: What are their relationships? 1
Light effect
Ascochyta 450
Lilly, Virgil Greene. See Cuppett and Lilly 67
Lindau, Gustav (ed.) Kryptogamenflora für Anfänger; notice 1382
Lipid analysis
Phytophthora 1259
Lipids of Smittium culisetae 122
List of cultures, 1972, fifth edition; review 273
Lombard, Frances F. See Lowe and Lombard 725
Lorbeer, J. W. See Bergquist and Lorbeer 36
Lowe, Josiah L. and David Pegler. Polyporus amygdalinus and P. pseudosulphureus 208
——— and Frances F. Lombard. On the identity of Polyporus lacteus 725
Lu, Shih-hsiung. Effect of calcium on fruiting of Cyathus stercoreus 329
Lucas, Leon T. See Singer et al. 468
Maas, John L. Phytophthora fragariae race characterization with gas-liquid chromatographic lipid analysis 1259
Macadam, Robert K. See McIlvaine and Macadam 1227
McGrath, Eleanor J. See Monoson et al. 78
McIlvaine, Charles and Robert K. Macadam. One thousand American fungi; review 1227
MacLeod, Donald M. and Erwin Müller-Kögler. Entomogenous fungi Entomophthora species with pear-shaped to almost spherical conidia (Entomophthorales: Entomophthoraceae) 823
Malloch, David and Gerald L. Benny. California Ascomycetes: four new species and a new record 648
——— and R. F. Cain. The genus Thielavia 1055
Mangrove fungi 894
Maniotis, James and Sze-Shuen Chu-Cheung. Single-locus, two-allele basis for inheritance of the granular and a downy form of the ringworm fungus Arthroderma benhamiae (=Trichophyton mentagrophytes var granulosum) 48
Marasmius-blight fungus 468
Marine fungi, 161, 488
Marine phycomycete 966
Martin, George Willard; biography 985
Martin, Kenneth J. and R. L. Gilbertson. The mating system and some other cultural aspects of Veluticeps berkeleyi 548
Mason, D. L. Host-parasite relations in the Gibberidea disease of Helianthus strumosus 1158
Mating system and some other cultural aspects of Veluticeps berkeleyi 548
Mating-type, Podoscypha 203
Mechanical injury, Schizophyllum 809
Media 1039
Abrams-cellulose 88
malt-Fusarium 581
Brodie 330
Czapek yeast autolysate agar 1137
Dispira 22
Goldstein modified 1304
synthetic 67
Mesterhazy, A. The morphology of an undescribed form of anastomosis in Fusarium 916
Metabolism
Claviceps 558
Methods
agar–plug cutter 232
dialyzing membrane 705

nuclear stain 694
rapid staining technique 941
soil sampling instruments 215
Methods for research on the ecology of soil-borne plant pathogens; review 263
Michelia; review 495
Microbiology of the eye; review 501
Microcolony mutant 42
Miller, Charles E. See Braselton and Miller 220
———. See Moore and Miller 145
Miller, Orson K., Jr. A new gastroid genus related to Gomphidius 226
———. Mushrooms of North America; review 977
Mode of parasitism
Stephanoma 584
Monographie der Athelieae (Corticiaceae, Basidiomycetes); review 496
Monograph of the genus Chaetomium; review 717
Monoson, Herbert L., Alan G. Galsky, Judith A. Griffin, and Eleanor J. McGrath. Evidence for and partial characterization of a nematode attraction substance 78
Montagne, J. F. Camille. Plantes cellulaires nouvelles tant indigénes qu'Exotiques; review 273
———. Sylloge generum specierumque cryptogamarum; review 273
Moore, Elizabeth D. and Charles E. Miller. Resting body formation by rhizoidal fusion in Chytriomyces hyalinus 145
Moore-Landecker, Elizabeth and G. Stotzky. Morphological abnormalities of fungi induced by volatile microbial metabolites 519
Morgan-Jones, G., T. R. Nag Raj and Bryce Kendrick. Icones Genera Coelomycetarum; review 717
Morgan-Jones, J. F. and R. L. Hulton. A rapid nuclear stain for permanent sections 694
Morphogenesis
Volvariella volvacea 355
Morphological abnormalities of fungi induced by volatile microbial metabolites 519
Morphology
Ajellomyces 216
Alternaria 1205
Chytriomyces 145
Cochliobolus 705
Cokeromyces 1274
Emericella 1028
Emmonsiella 109, 216
Fusarium 1371
Gibberidea 1158
Gymnosporangium 137
Lagenidium 966
Lophodermella 1015
Microstoma 199
Minakatella 768
Mycotypha 1274
Peziza 913
Phoma 709
Schizophyllum 809
Sorosphaera 220
Spathulospora 632
Thielavia 1057
Morphology of an undescribed form of anastomosis in Fusarium 916
Mucorales 733, 963
Mukerji, K. G. See Sharma and Mukerji 709
Müller-Kögler, Erwin. See MacLeod and Müller-Kögler 823
Mullins, J. Thomas. Lateral branch formation and cellulase production in the water molds 1007
———. See Kane and Mullins 1087
Murray, David F. [Review of] Arctic adaptations in plants 268
Mushroom poisoning 101
Mushrooms of North America; review 977
Mycelial mass of Polyporus sulphureus 1200
Mycogeography 1044
Mycological diet of the Yanomam Indians 248
Mycological nomenclature; notice 984
Mycologists
Group photograph, 1968 Foray, Ohio 193
Mycologists, biographies
Donk, Marinus Anton 503
Martin, George Willard 985
Seaver, Fred Jay 721
Mycologists, portraits
Donk, Marinus Anton, frontisp (503)
Lichtwardt, R. W. frontisp (1)
Martin, George Willard frontisp (985)
Seaver, Fred Jay frontisp (721)
Mycoparasitism by Stephanoma phaeospora 580
Mycoparasites
Dispira 21
Tieghemiomyces 999
Mycotrophein 581
Myxamoebae
Didymium 1284
Myxogastria 484
Myxogastromycetidae 483, 484
Myxomycete with a singular myxamoebal encystment stage 1284
Myxomycetes 195, 286, 477, 768
Myxomyceticolous species of Nectria 401

Nag Raj, T. R. See Morgan-Jones et al. 717
Nematode attraction substance 78
Nematode trapping fungi 78
Nemin 79
New gastroid genus related to Gomphidius 226
New genus of rusts from Burma 702
New Poria from southern Arizona 1117
New species and a new genus of Plectomycetes with Aspergillus states 934
New species of Didymium from India 474
New species of Endemosarca from the Seychelles 229
New species of Eupenicillium from soil 697
New species of Suillus 1375
Nigeria
Zopfiella 690
Nishimoto, K. M. See Aragaki et al. 1205
Nitrogen assimilation 295
Nitrogen effect
Phytophthora 70
Sistotrema 972
Nitrogen sources 163
Nitrogen and vitamin requirements for axenic growth of the haustorial mycoparasite, Dispira cornuta 21
Noell, John. Slime-inhabiting geofungi in a polluted stream (winter/spring) 57
Nonrandom survival of Cochliobolus carbonum ascospores in asci bearing less than eight ascospores 1229
North American species of Psathyrella; review 975
Note to identify a certain isolate of Lagenidium which kills mosquito larvae 970
Notes on Acallomyces and Polyascomyces (Laboulbeniales) 929
Notes on Caribbean Discomycetes. III. Ascospore germination and growth in culture of Nanoscypha tetraspora (Pezizales, Sarcoscyphineae) 952
Notices 984, 1383
Nouvelle classification naturelle des Discomycetes charnus; review 501
Nuclear condition 137
Nuclear cycle and the terminology of spore states in Uredinales 432
Nutrient effect
Ascochyta 448
Conidiobolus 340
labyrinthula 1306
Nutrition and fat production in submerged cultures of a strain of Penicillium lilacinum 211
Nutritional studies of Labyrinthula sp. 1302

Observations on Lagenidium callinectes: Isolation and sporangial development 310
Observations on Sadasivania (Fungi Imperfecti) 925
Occurrence and distribution of some aquatic Phycomycetes on Ross Island and the dry valleys of Victoria Land, Antarctica 373
Occurrence of polycomplexes in the nucleus of encysting spores of Lagenidium callinectes, a marine phycomycete 966
Oceans, biochemistry 161
O'Donnell, Kerry L. and E. S. Beneke. Apothecial formation by Peziza quelepidotia in pure culture 913
Ofosu-Asiedu, A. and Roger S. Smith. Degradation of three softwoods by thermophilic and thermotolerant fungi 240
——— and Roger S. Smith. Some factors affecting wood degradation by thermophilic and thermotolerant fungi 87
Ohio foray 192
Ohio soil fungi 948
On the identity of Polyporus lacteus 725
One thousand American fungi; review 1227
Oomycete 944
Over de Ontwikkeling en Morfogenese der Paddestolen; review 714, 982

Page, Robert M. and Richard A. Humber. Phototropism in Conidiobolus coronatus 335
Palavasciaceae 2
Pant, D. C. and V. P. Tewari. Chemical reaction of the hairs of Microstoma floccosum 199
Pantidou, Maria E. Fungus-host index for Greece; review 1381
Papa, K. E. The parasexual cycle in Aspergillus flavus 1201
Papavizas, G. C. [Review of] Ecology of soil fungi 713
Parasexual cycle in Aspergillus flavus 1201
Parasitism and symbiology; review 274
Parasitism
Spathulospora 632
Parataeniellaceae 2
Paterson, R. A. See Knox and Paterson 373
Patrick, Michael A., Vijay K. Sangar, and Patrick R. Dugan. Lipids of Smittium culisetae 122

———. See Sangar et al. 958
Pecteolytic enzymes of eight Byssochlamys fulva isolates 920
Peerce, T. F. and C. H. Dickinson. Ecology of leaf surface microorganisms; review 267
Pegler, D. N. and T. W. K. Young. Basidiospore morphology in the Agaricales; review 257
Pegler, David. See Lowe and Pegler 208
Pennsylvania
Peridoxylon 1199
Peridoxylon petersii on oak in Pennsylvania 1199
Perithecial formation by Cochliobolus heterostrophus on dialyzing membrane 705
Perry, Jerome J. See Hodges and Perry 697
Petersen, Ronald H. First international symposium on taxonomy of fungi, University of Madras, January 15–22, 1973 956
———. See Fiasson and Petersen 201
———. [Review of] Basidiospore morphology in the Agaricales 257
Pezizales 952
Pfister, Donald H. Notes on Caribbean Discomycetes. III. Ascospore germination and growth in culture of Nanoscypha tetraspora (Pezizales, Sarcoscyphineae) 952
———. The psilopezioid fungi. I. History, nomenclature, and delimitation of the psilopezioid genera 321
Phaff, Herman J. See Foda et al. 365
Phenyl alcohol effect
Cokeromyces 1276
Mycotypha 1281
Photoresponses of Coprinus stercorarius: basidiocarp development and maturation 907
Phototropism in Conidiobolus coronatus 335
Physarum polycephalum: pH and plasmodium formation 232
Physiology
Ascochyta 444
Byssochlamys 920
Claviceps 558
Conidiobolus 335
Coprinus 907
Culcitalna 161
Cyathus 329
Halosphaeria 161
Helminthosporium 295, 539
Humicola 161
Labyrinthula 1302
Penicillium 211, 1135
Physarum 232
Phytophthora 67
Saprolegnia 465
Sistotrema 972
Thamnidium 803
Tieghemiomyces 999
Phytophthora fragariae race characterization with gas-liquid chromatographic lipid analysis 1259
Pirozynski, K. A. Three hyperparasites of Ascomycetes 761
Pisolithus in central Florida 1210
Pitt, John I. An appraisal of identification methods for Penicillium species: novel taxonomic criteria based on temperature and water relations 1135
Plantes cellulaires nouvelles tant Indigénes qu'Exotiques; review 273
Plasmodial incompatibility, Didymium 507
Plasmodium formation 232
Plectomycetes 934
Pleurotus ostreatus-sapidus species complex 28
Pollack, Flora G. See Sutton and Pollack 1125
Pollution 57
Polycentric fungi
Iceland 1337
Polyporus amygdalinus and P. pseudosulphureus 208
Porter, David. See Sykes and Porter 1302
Powell, Paul E. The genera Duplicaria (Rhytismataceae) and Crandallia (Leptostromataceae) 1356
Prance, Ghillean T. The mycological diet of the Yanomam Indians 248
Presidential address
Lichtwardt, R. W. 1
Price, J. S. and R. Storck. Dimorphism of Cokeromyces poitrasii and Mycotypha microspora 1274
Principles of fungal taxonomy; review 498
Protostelia 484
Psilopezioid fungi. I. History, nomenclature, and delimitation of the psilopezioid genera 321
Publications
Martin, G. W. 993
Pugliese, Frank A. and James P. White. Zinc stimulation of nitrogen assimilation by Helminthosporium cynodontis 295
Pycnidium production
Phoma 709
Pyrenomycetes 614

Quantitative and qualitative changes in proteins during morphogenesis of the basidiocarp of Volvariella volvacea 355

Race characterization
Phytophthora 1259
Radiation effect
Ascochyta 453
Rakvidhyasastra, Vijai and Edward E. Butler. Mycoparasitism by Stephanoma phaeospora 580
Raper, Kenneth B. and Constantine J. Alexopoulos. A myxomycete with a singular myxamoebal encystment stage 1284
Rapid nuclear stain for permanent sections 694
Rapid staining technique for Rhizoctonia solani and related fungi 941
Rattan, S. S. See Thind and Rattan 1250
Read, Clark P. Parasitism and symbiology; review 274
Reeves, F. Brent. [Review of] Light and electron microscopic studies of Ascobolus stercorarius. II. Ascus and ascospore ontogeny 1226
Reijnders, A. F. M. Over de ontwikkeling en morfogenese der Paddestolen; review 714, 982
Reproduction
Trichomycetes 3
Resting body formation by rhizoidal fusion in Chytriomyces hyalinus 145
Reviewers [Mycologia] 1383
Reynolds, Don R. See Ellis et al. 1028
Rhizoidal fusion 145
Rhode Island fungi 1296
Rhytismataceae 1356
Ringworm fungus
downy 48
granular 48
Roane, Martha K. Two new chytrids from the Appalachian Highlands 531
Rodrigues, Joanna. See Sguros et al. 161
Rogers, Milton A. Photoresponses of Coprinus stercorarius: basidiocarp development and maturation 907
Rogerson, Clark T. Fred Jay Seaver, 1877–1970 721
———. [Review of] Fungus-host index for Greece 1381
Role of marine fungi in the biochemistry of the oceans. V. Patterns of constitutive nutritional growth responses 161
Romney, S. V. See Couch and Romney 250
Root fungi 894
Rosinski, Martin A. [Review of] Over de ontwikkeling en morfogenese der Paddestolen 714, 982
Ross, Ian K. The Stemonitomycetidae, a new subclass of Myxomycetes 477
Rotifer eggs 944
Roxon, J. E. and L. R. Batra. Anthracobia, Ascodesmis, Pyronema, and Trichophaea in culture 1036

Saccardo, P. A. (ed.). Michelia; review 495
Saggio di flora micologica analitica; review 274
Samson, R. A. See Stolk and Samson 1221
Samuels, Gary J. The myxomyceticolous species of Nectria 401
Sangar, Vijay K., Michael A. Patrick and Patrick R. Dugan. The lipid composition of a species of Alternaria of the "Alternaria alternata group" 958
——— and Patrick R. Dugan. Chemical composition of the cell wall of Smittium culisetae (Trichomycetes) 421
———. See Patrick et al. 122
Saprolegniaceae: a keratinophilic Aphanomyces from soil 1312
Sapwood blueing 661
Sarcoscyphineae 952
Savile, D. B. O. Arctic adaptations in plants; review 268
———. [Review of] Fungal spores: Their liberation and dispersal 259
Schanzle, Robert W. Daedalea quercina forma trametea in Illinois 689
Schmitt, J. A. See Huang and Schmitt 948
Schwandt, J. W. See Anderson et al. 28
Sclerotiniaceae IV. Martininia 175
Seaver, Fred Jay; biography 721
Septa
Trichomycetes 13
Sequeira, L. [Review of] Tropical America plant disease 715
Serology
Trichomycetes 14
Seth, Hari K. A monograph of the genus Chaetomium; review 717
Sewage fungi 57
Sexuality, incompatibility, and intersterility in the biology of the Sistotrema brinkmannii aggregate 1234
Seychelles, Endemosarca 229
Seymour, R. L. and T. W. Johnson, Jr. An unusual oomycete infecting rotifer eggs 944
——— and T. W. Johnson, Jr. Saprolegniaceae: a keratinophilic Aphanomyces from soil 1312
Sexual reproduction in Lagenidium giganteum 250

Sguros, Peter L., Joanna Rodrigues, and Jacqueline Simms. Role of marine fungi in the biochemistry of the oceans. V. Patterns of constitutive nutritional growth responses 161
Sharma, K. R. and K. G. Mukerji. Asexual complementation affecting pycnidium production in Phoma exigua 709
Shaw, Charles R. See Stout and Shaw 803
Shearer, Carol A. Fungi of the Chesapeake Bay and its tributaries II. The genus Conioscypha 128
Simmons, E. G. See Wiley and Simmons 934
Simms, Jacqueline. See Sguros et al. 161
Simons, Donald M. See Tanghe and Simons 99
Simonson, Lloyd G. and Anthony E. Liberta. Effects of carbon and nitrogen sources on sporulation of Sistotrema brinkmannii 972
Singer, Rolf, Leon T. Lucas, and Tyler B. Warren. The Marasmius-blight fungus 468
———. Marinus Anton Donk 503
———. [Review of] The North American species of Psathyrella 975
———. [Review of] Die Grundzüge eines natürlichen Systems der Pilze 1378
Single-locus, two-allele basis for inheritance of the granular and a downy form of the ringworm fungus Arthroderma benhamiae (= Trichophyton mentagrophytes var granulosum) 48
Sivanesan, A. The genus Herpotrichia Fuckel; review 270
Slime-inhabiting geofungi in a polluted stream (winter/spring) 57
Smith, Alexander H. The North American species of Psathyrella; review 975
———. See Bigelow and Smith 485
———. See Thiers and Smith 1375
Smith, Roger S. See Ofosu-Asiedu and Smith 87
———. See Ofosu-Asiedu and Smith 240
Sodium effect
Labyrinthula 1305
Soil fungi 894, 948
Eupenicillium 697
Zopfiella 690
Soil sampling instruments 215
Some factors affecting wood degradation by thermophilic and thermotolerant fungi 87
Sorus development, spore morphology, and nuclear condition of Gymnosporangium gaeumannii ssp albertense 137
South American Gasteromycetes. The genera Gastropila, Lanopila and Mycenastrum 779
Sparrow, F. K. Three monocentric chytrids 1331
Spathulosporales, a new order and possible missing link between Laboulbeniales and Pyrenomycetes 614
Spegazzini, Carolo. Fungi argentini; review 271
———. Fungi argentini novi; review 271
———. Fungi guaranitici; review 271
Spermatophytes
Acer 28, 948, 1052
Betula 1052
Bruguiera 895
Carpinus 204
Carya 28
Chenopodium 445
Cicer 444
Cucumis 445
Fagus 948
Gomphrena 445
Juniperus 287
Lens 445
Melia 784
Nicotiana 445
Phaseolus 445
Picea 88, 103, 240, 397
Pinus 88, 103, 192, 240, 1210, 1375
Pisum 445
Populus 28
Quercus 28, 948
Rhizophora 894
Salix 789
Spartina 1296–1301
Tilia 28
Tsuga 103, 192
Ulmus 28, 287, 1052
Vicia 445
Vigna 445
Sporangial development, Lagenidium 310
Spore morphology 137
Spore release 155
Spores V; review 273
Staley, J. M. See Uecker and Staley 1015
Stemonitida 484
Stemonitomycetidae, a new subclass of Myxomycetes 477
Stevenson, John A. An account of fungus exsiccati containing material from the Americas; review 492
Stolk, Amelia C. and R. A. Samson. The genus Talaromyces: studies on Talaromyces and related genera II.; review 1221
Storck, R. See Price and Storck 1274
Stotzky, G. See Moore-Landecker and Stotzky 519

Stout, Daniel L. and Charles R. Shaw. Comparative enzyme patterns in Thamnidium elegans and T. anomalum 803
Stromatic Neurosporas 458
Stuart, Thomas D., William R. La Force and Frank H. Gleason. Alcohol dehydrogenase in Mucorales. II. 963
Studies on Emmonsiella capsulata I. Heterothallism and development of the ascocarp 109
Studies on the fleshy fungi of Alaska. VI. Notes on Gyromitra 396
Submerged cultures, Penicillium 211
Substrates
  alligator nesting material 594
Succinic acid 558
Sundberg, Walter J. and Marcia C. Wicklow. Observations on Sadasivania (Fungi Imperfecti) 925
Sutton B. C. and Flora G. Pollack. Gloeosporium cercocarpi and Sphaceloma cercocarpi 1125
Swartz, Delbert. Collegiate dictionary of botany; review 274
Sykes, Ellis E. and David Porter. Nutritional studies of Labyrinthula sp. 1302
Sylloge generum specierumque cryptogamarum; review 273
Symposium on taxonomy of fungi 956

Taber, Willard A. Uptake and metabolism of succinic acid by washed mycelium of Claviceps purpurea 558
Talbot, P. H. B. Principles of fungal taxonomy; review 498
Tang, Hsi-Chang. See Collins and Tang 232
Tanghe, Leo J. and Donald M. Simons. Amanita phalloides in the eastern United States 99
Tansey, Michael R. Isolation of thermophilic fungi from alligator nesting material 594
———. Use of butane lighter for sterilization of soil sampling instruments 215
Tavares, Isabelle I. Notes on Acallomyces and Polyascomyces (Laboulbeniales) 929
Taxonomic studies of Phialophora 661
Temperature effect
  Ascochyta 449
  Penicillium 1135
Terms
  aeciospore 434
  basidiospore 434
  spermatia 434
  teliospore 434
  trichosporangium 7
  trichospore 3
  urediniospore 434
Tetrapolar heterothallism
  Sistotrema 1241
Tewari, V. P. See Pant and Tewari 199
Thaung, Maung Mya. A new genus of rusts from Burma 702
Thelephoraceae of India—X 1250
Thermophilic fungi 87, 240, 594, 1171
Thermophilic fungi in a municipal waste compost system 1087
Thermophilism 1171
Thermotolerant fungi 240
Thiers, Harry D. [Review of] Boletus in Malaysia 1223
——— and A. H. Smith. A new species of Suillus 1375
Thind, K. S. and S. S. Rattan. The Thelephoraceae of India—X 1250
Three hyperparasites of Ascomycetes 761
Three monocentric chytrids 1331
Trichiaceae 768
Trichomycetes 421
Trichomycetes: What are their relationships? 1
Triglyceride fatty acids of selected higher marine fungi 488
Tropical American plant disease; review 715
Tropical macrofungi—some common species; review 981
Tsao, Peter H. [Review of] Methods for research on the ecology of soilborne plant pathogens 263
Tu, C. C. and J. W. Kimbrough. A rapid staining technique for Rhizoctonia solani and related fungi 941
Tubaki, K. Aquatic sediment as a habitat of Emericellopsis, with a description of an undescribed species of Cephalosporium 938
Two new chytrids from the Appalachian Highlands 531

Uecker, F. A. and J. M. Staley. Development of the ascocarp and cytology of Lophodermella morbida 1015
Ullrich, Robert C. Sexuality, incompatibility, and intersterility in the biology of the Sistotrema brinkmannii aggregate 1234
Ultrastructural comparison of coils and ascospores of Emmonsiella capsulata and Ajellomyces dermatitidis 216
Ultrastructure
  Emericella 1028

Gibberidea 1165
Minakatella 768
Sorosphaera 220
Umphlett, Clyde J. A note to identify a certain isolate of Lagenidium which kills mosquito larvae 970
United States, Amanita phalloides 99
Unusual oomycete infecting rotifer eggs 944
Upadhyay, H. P. Helicostylum and Thamnostylum (Mucorales) 733
Uptake and metabolism of succinic acid by washed mycelium of Claviceps purpurea 558
Uptake of amino acids by Saprolegnia 465
Uredinales 432
Use of butane lighter for sterilization of soil sampling instruments 215
Utilization of carbon compounds by Helminthosporium maydis and H. carbonum 539

Variation in isolates of Chaetomium trilaterale 1212
Vegetative reversion of conidiophores in Alternaria tomato 1205
Vitamin requirements
Dispira 21
Volatile microbial metabolites 519

Wang, C. J. K. [Review of] Icones Genera Coelomycetarum 717
Wang, S. S. See Anderson et al. 28
Warren, Tyler B. See Singer et al. 468
Water effect
spore release 155
Water relations
Penicillium 1135
Weber, William A. Cryptogamae formationum coloradensium; review 274
Welden, A. L. and Joan W. Bennett. The cultural characteristics and mating-type behavior in Podoscypha multizonata and P. ravenelii 203
Wellman, F. L. Tropical American plant disease; review 715
Wells, Kenneth and Paul L. Lentz. George Willard Martin, (1886-1971) 985
———. Light and electron microscopic studies of Ascobolus stercorarius. II. Ascus and ascospore ontogeny; review 1226
Wells, Virginia L. See Kempton and Wells 396
White, James P. See Pugliese and White 295
Wicklow, Marcia C. See Sundberg and Wicklow 925
Wiley, B. J. and D. I. Fennell. Ascocarps of Aspergillus stromatoides, A. niveus, and A. flavipes 752
——— and E. G, Simmons. New species and a new genus of Plectomycetes with Aspergillus states 934
Wolf, Frederick T. See Kidd and Wolf 1371
Wood degradation 87
Wright, Jorge E. See Homrich and Wright 779

Yanomam Indians 248
Yeasts, sewage 60
Young, T. W. K. See Pegler and Young 257

Zinc stimulation of nitrogen assimilation by Helminthosporium cynodontis 295
Zoberi, M. H. Influence of water on spore release in Cookeina sulcipes 155
———. Tropical macrofungi—some common species; review 981
Zopfiella flammifera, a new species from Nigerian soil 690
Zygomycetes 195

FUNGOUS TAXA INDEX

The Fungous Taxa Index includes genera, infrageneric taxa, species, the infraspecific taxa. New taxa and the pages where they are published are in **bold-face type.** An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur.

Absidia coerulea 582; corymbifera 1172; spinosa 582, 900
Acallomyces 929–934; **gyrophaenae** 931, **933**; homalotae 929, 931, 932, 933; platyolae 929, f 931, 932,
Achlya 319, 329, 1007–1014; ambisexualis 1008–1014
Acompsomyces 929, 933
Acrasis 484
Acremoniella 134
Acremonium 61, 64, 401, 403, 414, f 417; **fungicola 404**, 407
Acrophialophora fusispora 1173
Actinomucor elegans 965; repens 76
Acurtis 472
Acytostelium ellipticum 1047; leptosomum 1047
Aecidium 441
Aerobacter 1289; aerogenes 233, 1285, 1289, 1291, 1293
Aethalium violaceum 407
Agaricus abundans *1109*; augustus 1323, 1326; bisporus 1246; campestris 879, 1329; crocodilinus 1327; familia *1106*; laceratus 1102, *1103*; oculus *1108*; placomyces 196, 1323; xanthodermus 1329
Agrobacterium radiobacter 520, 522; rhizogenes 520, 522
Ajellomyces 115; dermatitidis 115, 117, 119, f 120, 216–220, f 217, f 219
Albugo candida 223, 1169
Aleuria aurantia 1321
Aleurodiscus oakesii 196; **taxicola 1255**, f 1256, f 1257
Allescheria terrestris 89–98, f 95, 241–243, *1070*, 1172
Allescheriella 134
Allomyces arbuscula 223, 1079–1086; macrogynus 427
Alternaria 61, 64, 958–963, 1208, 1297, 1298; alternata 582, 958–963, 1297; radicina 196; solani 582, 1208; tenuis 76; tomato 1205–1210, f 1206
Amanita 195; sect Phalloideae 100; aestivalis 99; bisporigera 99, 107, 196, 1323, 1327; brunnescens 99, 100, 1323, 1327; var pallida 99; caesarea 1323; calyptratoides 1327; calyptroderma *1327*; chlorinosma 1327; citrina 99, 103, 1327; flavoconia 1323; flavorubens 1323; frostiana 1327; fulva 1323, 1327; gemmata 1323, 1328; inaurata 1323, 1327; magnivelaris 1323, 1327; muscaria ssp americana 1323, 1327; ssp flavivolvata 1323, 1326; nauseosa 1328; pantherina 1323, 1326; phalloides 99–108, f 105; porphyria 100; rubescens 196, 1323; spreta 1323; vaginata 196, 1323; verna 99, 101, 107, 196; virosa 99–101, 103, 105, 107
Amblyosporium spongiosum 196
Amoebidium 10, f 11, 15–18; parasiticum 15, 17, 421, 429
Amaurochaete ferruginea, 415; fuliginosa 415
Amphicypellus 152; elegans 151
Anaptychia obscurata 196; speciosa 196
Anellaria sepulcharalis *1329*
Anixiella 1055, 1075; reticulata 1075
Anixiopsis japonica *1071*
Anthracobia 1036–1043; melaloma 1036–1043; muelleri 1036–1043, f 1038
Anthurus aseroeformis 202
Antrodia malicola 196
Aphanomyces 319, 383, 386, 947, 1312–1318; camptostylus 1316; cochlioides 1316; helicoides 1316; **keratinophilus** f 1315, **1317**; laevis 1315, 1316; f keratinophilus 1312–1318, *1317*
Apinsia 115
Apodus 1056; deciduus 1063
Aporothielavia 1073, **1074**; **leptoderma** 655, **1074**
Aporpium caryae 196
Aposphaeria 901
Arachnomyces 660
Arachnopeziza delicatula 195
Arcyria 412; cinerea 195, 223, 411, 412, 478, f 479, 775, 776, 777, 1294; incarnata 195; incrassata 196; nutans 411, 412, 418; virescens 903
Armillaria mellea 224, 583, 1328

Arthrinium phaeospermum 1298
Arthrobacter 1285, 1287
Arthrobotrys musiformis 79–86, 582, 592
Arthroderma benhamiae 48–56, f 50, f 53
Arundinula capitata 10
Ascobolus 1036
Ascochyta pinodella 455; pisi 455; rabiei 444–457, f 447, f 452
Ascocoryne 195
Ascodesmis 1036–1043; sphaerospora 1036–1043, f 1038
Ascoidea 802
Ascophora amoena *737*, 738; pulchra *738*, 739, 741
Asellaria 5; ligiae 5, f 6, 13
Ashbya 802
Aspergillus 64, 356, 757, 902, 934–938, 1028, 1092; amstelodamii 582; candidus 582; chevalieri 582; chrysellus 755, 936; clavatus 526; cremeus 755, 936; flavipes 170, 752–760, f 758, 900, 934, 937; flavus 582, 1069, 1201–1205, 1260, 1266–1273; fonsecaeus 582, 923, 1079–1086; fumigatus 90, 241, 595, 596, 1092, 1171, 1173, 1182; giganteus 519, 521, 522, 526; glaucus 1202; itaconicus 582; nidulans 582, 757, 759, 1079–1086, 1201–1205; niger 76, 170, 295, 900, 1204; niveus 752–760, f 756 934, 935; ochraceus 582; oryzae 1202; parasiticus 1266; rehmii 759; restrictus 582; ruber 582, 588, f 588; rugulosus 582; sojae 1202; stromatoides 752–760, f 754, 934, 935; sydowii 582; ustus 582; versicolor 582
Asterophlyctis 152; sarcoptoides 151
Astraeus hygrometricus 1325
Astreptonema 10; longispora f 9, 13
Auricularia auricula 196
Auriscalpium 278; umbella 278

Bacillus 600; cereus 520, 522, 525, 528; stearothermophilus 1176; subtilis 1289
Bactridiopsis ulei 196
Badhamia 478, f 480
Baeospora familia *1107*
Bagnisiopsis 765; palmigena 765
Balansia strangulans 194, 195
Basidiobolus 126; ranarum 351
Beauveria 900
Bifusella 1356, 1357, 1358, 1360; acuminata *1364*, 1365; linearis 1360
Bifusepta 1357, 1358; tehonii 1357
Bipolaris pedicellata 582
Bispora effusa f 762, 763
Bjerkandera adusta 196
Blastocladiella emersonii 223, 224
Blastomyces dermatitidis 119
Bloxamia 134
Blyttomyces helicus 1334
Bolbitius vitellinus 1329
Boletellus ananas 1324
Boletinellus merulioides 196
Boletus edulis 1324; frostii 196, 1324; pallidus 196; regius 196
Boothiella 1055
Botryobasidium vagum 196
Botryotinia 177; fuckeliana 36; squamosa 36–47, f 38
Botryotrichum 655, 1058
Botrytis 1042, 1172; allii 45, 582; cinerea 36
Boudierella coronata *877*
Bovista bicolor *785;* fusca 1328
Brachysporium apicale 196
Brauniellula 226, 227; sect Gomphidius *227;* leucosarx *227;* nancyae 226, 227
Bulbothamnidium *735*; elegans 733, *738*; pulchrum *738;* var variabile *738*
Burgoa 596, f 597, 598
Byssochlamys emersonii 89; fulva 920–924
Byssonectria 419; violacea *404*
Byssostilbe stilbiger 402, 403, 409

Cadophora 661, 662, *664;* americana 661, 662, *665*, 666, 682, f 685; brunnescens 662, *675*, 678, 683, 684, f 686; fastigiata 661, 662, *667*, 670 682, 683, f 685; lagerbergii 661, *670*, 672, f 685; melinii 661, *672*, 675, 683, f 686; obscura 661, 682, 683, *683*, f 685; richardsiae 662, *675*, 677, 683, 684, f 686
Caeoma 441
Calbovista 792
Calcarisporium parasiticum 580, 592, 593; thermophile 1173
Calomyxa 775, 777, 778; metallica 773, 778
Calonectria 900, 902, 903; rigidiuscula 582
Calostoma cinnabarina 1325, 1327
Calvatia 780, 789; pachyderma 780, 784
Candida nivalis 1184; utilis 1180, 1184
Cantharellula subg Neocantharellula *1102*
Cantharellus 239; cibarius 196, 1321; cinnabarinus 196; odoratus 196
Cantharocybe 485, **486–488**; **gruberi 486**, f 487
Carouxella 3–5; scalaris f 4
Catenaria anguillulae 223, 224, 1354
Catenomyces 1347, 1352; persicinus f 1339, f 1343, 1349, 1350, 1351, 1353, 1354
Catenophlyctis variabilis 381, f 382, 383, 385
Catenularia 134, 135

Cephaloascus 802
Cephalosporium 662, 900, 938–941, 1172, 1298; **polyaleurum 939**, f 940
Cephalotheca 1073
Ceratiomyxa 903
Ceratobasidium ramicola f 942, 943
Ceratocystis 1260; capillifera 61; fimbriata 582, 592
Cerrena unicolor 196
Cerrenella farinacea 196
Cetraria 602–613; canadensis 602, 603, 612; chlorophylla 612; ciliaris 609; coralligera 603, 604, 612; fendleri 604, 609, 610, 611; halei 611, 612; idahoensis 612; juniperina 603; merrillii 605, 611; orbata 606, 611; pallidula 606, 612; pinastri 612; platyphylla 606, 611, 612; sepincola 611; subalpina 611; **subfendleri** f 608, **610**, 611; viridis 602, 603; **weberi 607**, f 608, 609, 610, 611
Chadefaudia 247, 645; **balliae 244–248**, f 246; marina 247
Chaetomidium 651, 1056; barbatum 1072; chlorochaetum 1073; fimeti *1064*; magnum *1065*; minutum *1066*; peruvianum *1067*; phyllactineum *1067*; pircuniae 1075; spirotrichum *1069*; subfimeti *1070*; trichorobustum *1071*
Chaetomium 329, 649, 651, 1056–1058, 1073, 1090, 1092, 1172; britannicum 1172; cupreum 1212, 1213, *1218*; **deceptivum 648**, 649, f 650, 1058; erraticum 649; fimeti *1064*; funicolum 1079–1086, f 1081, 1298; globosum 170, 1073; homopilatum 649; parvotrichum 649; piluliferum 655, 1058; seminudum 649; thermophile 1091, 1172, 1183; var coprophile 599, 1172; var dissitum 599, 1172; trigonosporium 1058; trilaterale 1212–1220, f 1215, f 1216; var **chiversii** 1213, 1214, f 1215, **1218**; var **cupreum** 1213, 1214, f 1215, f 1216, **1218**; var **diporum** 1213, 1214, f 1215, f 1216, **1218**; var trilaterale 1217; virginicum 1172
Chaetoporus euporus 196; rixosus 196; subacidus 196
Chaetosartorya 936, 937; chrysella 936; cremea 936; **stromatoides 935**, 936
Chaetostylum 734, *735*; circinans *737*, 738; echinulatum *738*; elegans *735*, 738; fresenii 733, 734, *738*, 738, 741; var macrosporum *738*
Chalara 134
Chlamydobacterium 313
Chlorosplenium chlora 195; rugipes 195; versiforme 195
Choanephora cucurbitarum 961
Chromocreopsis striispora 458, *460*, 462
Chroogomphus 226, *227*; loculatus 227
Chrysella mikaniae f 436
Chrysocelis lupini f 436
Chrysomyxa 437, f 438, f 439, 440
Chrysosporium 1173; pruinosum 89–98, 241
Chytridium 145, 151, 152, 534; characii 151; confervae 151; **ottariensis 531**, f 532, 534, 535, f 536, 537; versatile 375, 376, f 378
Chytriomyces 145–154, 534; hyalinus 145–154, f 147, f 149, 533
Ciboria 175
Circinella 749; glomerata *748*; muscae *750*; simplex 900; sydowi 582; umbellata *749*
Cirrenalia macrocephala 1298, 1300
Cirrhomyces 134
Cladochytrium 1347, 1348, 1349, 1351, 1354; granulatum 1351; hyalinum 1337, 1347, 1348; replicatum 1337
Cladonia cristatella 196; pyxidata 196; verticillata 196
Cladosporium 61, 64, 860, 901, 902; carpophilum 582; cladosporioides 814; effusum 582, f 585, 592
Clathrus cancellatus 202; crispus 1328; ruber 201–203
Clavaria 196; pyxidata 1321; stricta 1321
Clavariadelphus truncatus 1321, 1326
Claviceps 1080–1086; militaris 1321; paspali 1005; pupurea 558–579, 1297, 1298, 1300
Clavicorona pyxidata 196
Climacodon 283; septentrionalis 283
Clitocybe 196, 472, 1101; sect Candicantes 1115; aperta 1115; atrialba *1112*, 1114, 1115; avellaneialba 1114; dealbata 1115; gibba 1323, 1326, 1329; gruberi 485, *486*; infundibuliformis *1329*; monadelpha 196; oculata *1114*; sudorifica 1115
Clitocybula 1101–1116; abundans 1103, 1105, f 1106, 1107, 1109; atrialba 1101, 1102, 1112, f 1112, f 1113; familia 1101, 1103, 1105, f 1105, 1106, 1107, f 1112; var **compressa 1102**; lacerata 1101, 1103, f 1104, 1105, f 1106, 1107; **oculata** 1101, 1103, **1114**; oculus 1103, 1105, 1108, f 1109, f 1110, f 1111
Coccomyces 1357, 1358; coronatus 1357
Coccostroma 765; melastomatum 765, f 766, *767*; palmicola 765
Cochliobolus 296, 705, 1232; carbonum 583, 1229–1233; heterostrophus 705–709, f 706, f 708; homomorphus 705; sativus 46, 705
Cokeromyces poitrasii 1274–1283, f 1277, f 1278

Coleosporium 437, f 438, f 439, 440; vernoniae 196
Colletotrichum circinans 582; lini 583; pisi 583
Collybia 1101; abundans *1109*; butyracea 1322, 1326; cirrata 1246; dryophila 1328, 1329; familia *1107*; var compressa 1102, *1102*; lacerata *1103*; platyphylla ssp lacerata *1103*; polyphylla 1322; velutipes 810
Colpoma juniperi 1016
Coltricia cinnamomea 196
Comatricha 289; nigra 412; typhoides 412
Compsomyces 640
Conidiobolus 126, 825, 1260; subg Delacroixia 825, 836, 881; coronatus 335–354, f 337, f 345, 836, 877, *877*, 880; osmoides 126; pseudococci 836, 879, 880; villosus 582, *877*
Coniochaetidium 1075; savoryi 1075
Coniophora cerebella 583; olivascens 196
Conioscypha 128–136; lignicola 128, 129, f 129, f 132, 133–135; **varia** f 131, **133**, 134
Coniothyrium terricola *1071*
Conoplea 955
Cookeina 955; sulcipes 155–160, 955, 1328; tricholoma 955, 1328
Coprinus 61, 239, 1008, 1172, 1328; atramentarius 1329; comatus 1080–1086, 1329; delicatulus 1172; domesticus 583; fimetarius 1184; micaceus 1329; stercorarius 907–913, f 909, f 910; sterquilinus 329
Copromyces 1055
Corethromyces gracilis 637; lathrobii 640
Coriolus hirsutus 196; versicolor 195–197
Cornicularia 605; californica 605
Cornutispora 763; **limaciformis 763**, f 764
Corollospora maritima 489, 491, 1298, 1300
Corticium 197, 322; microsporum 801; serum 1246
Cortinarius 197; armillatus 197; lilacinus 197
Cotilydia diaphana 1321, 1327; undulata 1321
Crandallia 1356–1370; juncicola 1358, f 1359, 1360, 1365, 1366, 1367, 1368
Craterellus cornucopioides 197, 1321, 1327
Crepidotus 197; mollis 1324, 1327
Cribraria argillacea 412; aurantiaca 412; minutissima 478, f 479
Cristella sulphurea 197
Cronartium f 434; ribicola 437
Crucibulum laeve 197, 1325, 1327
Cryptendoxyla 1073
Cryptococcus 365; albidus 393; laurentii 365–372, f 368, 388–395, f 390; var flavescens 366–372, 393; var laurentii 388; var magnus 393; neoformans 365, 393
Cryptoporus volvatus 1322, 1326
Cucurbitaria rexiana *414*
Culcitalna achraspora 161–174
Culicicola 824, 836; apiculata *833*; papillata *863*; virulenta *875*
Cumminsina clavispora f 436
Cunninghamella blakesleeana 126; elegans 900
Curvularia 60, 64
Cyathicula dolosella 195
Cyathus 1328; olla 1329; stercoreus 329–334, f 333, 583, 1329; striatus 197
Cylindrocarpon 900, 902
Cylindrocladium 60, 903; lucidum 900; parvum 900, 901, 902
Cylindrocolla 196
Cyphella 197

Dacryobolus sudans 197, 555
Dactylomyces crustaceus 241, 600, 1092
Daedalea 689; ambigua *1329*; confragosa 689; elegans 1320, 1322, 1327, 1329; quercina 689, 1322; f trametea 689–690, f 689
Daedaleopsis confragosa 197
Daldinia 1199; concentrica 195, 1321, 1327
Darluca filum 196
Dasyscyphus virgineus 195
Dasyspora gregaria f 436, 441
Davisomycella medusa 1017
Debaryomyces hansenii 583, 587
Delacroixia 825, 879; coronata *877*
Dendrothele griseocana 197
Dendryphiella arenaria 1298; salina 901, 902, 1298
Dentinum 281; repandum 197, 281; umbilicatum 281
Dermocystidium 1305, 1308
Derexia 860
Diachea bulbillosa 195; subsessilis 415
Dianema 775, 776, 777, 778
Dichlaena 1073; bovina *1073*
Dictydium cancellatum 412
Dictyophora duplicata 1327; indusiata 1328
Dictyosporium pelagicum 1298, 1300
Dictyostelium 484, 1293; aureum 1047; coeruleostipes 1047; deminutivum 1047; dimigraformum 1047; discoideum 85, 1047, 1051; giganteum 1052; lacteum 1047, 1051; laterosorum 1047; lavandulum 1047; minutum 1047, 1050, 1051, 1052; mucoroides 1047, 1050, 1052; var stoloniferum 1047; polycephalum

1047, 1051; purpureum **1047**, 1050, 1051; rhizopodium 1047; rosarium 1047; sphaerocephalum 1052; vinaceofuscum 1047
Dictyuchus 1007–1014; monosporus 1009–1014
Diderma 289; simplex 415
Didymium 286–294, 474–477, f 1286, f 1288, 1291, f 1299; clavus 293; difforme 290; **disciformis 474–477**, f 476; dubium 292, 293; iridis 478, f 479, 507–518, f 509; megalosporium 415; melanospermum 292, 415; nigripes 234, 1284–1295; **orthonemata 290–293**, f 291; squamulosum 292; sturgisii 292; **synsporon 287**, f 289, 290; vaccinum 475, 477
Didymopsora africana f 436
Didymosphaeria 761; **atroseptata 761**, f 762; cocconiae 763; var major 763; enalia 903; eutypae 763
Dietelia verruciformis f 436
Dimargaris verticillata 21
Diorchidiella australe f 436
Diplodia 60
Diplophlyctis 152; amazonense 151; intestina 151; sexualis 151
Diplorhinotrichum galloparum 1173
Diplosporum album var fungicolum *404*, 407
Dipodomyces monstruosus 637
Dipsacomyces 429; acuminosporus 15
Discina 323
Discomycetella 323; aquatica 323
Dispira cornuta 21–27, 592, 999, 1000; parvispora 21; simplex 21
Distichomyces leptochiri 637
Donkia 283; pulcherrimus 283
Duplicaria 1356–1370; acuminata 1356, 1357, f 1359, 1360, 1364, 1367; cochinchinensis 1366; empetri f 1359, 1361, 1362

Eccrina 11
Eccrinidus 11, 13; flexilis 11, f 13, 15
Echinostelium 481
Elsinoë ampelina 1127
Elytroderma deformans 1017
Emericella 937, 1028; nidulans 935, 1028–1035 f 1030, f 1034; **nivea 934**, 935
Emericellopsis 938–941; humicola 938; microspora 938; minima 938, 939; stolkiae 938, 939; terricola 938
Emmonsiella capsulata 109–121, f 112, f 118, f 117, f 120, 216–220, f 217, f 218
Empusa 824, 875; subg Triplosporium 851; acridii *826*, *881*, 882, *882*; apiculata *833*, 835, 836; var major *860*, 861; aulicae *837*, 839, 885; blissi *840*; conglomerata 835, *842*, *871*, 872; coronata 836; dysderci *845*, 846; elegans *826*, *837*, 839, *884*, 885; freseniana *848*; *849*, 849, 850; grylli *838*, *842*, *871*, 873, 876; jassi 835, *856*; lageniformis *858*; lampyridarum *858*, 859; lecanii *859*; montana *861*, 862, 887; muscae 824; papillata *863*, 865, 877; planchoniana 835, *873*, 874; pseudococci 836; saccharina *866*; sciarae *826*, *861*, *886*, 887; thaxteri 835, *871*; thaxteriana 836, *873*
Endemosarca 229–232; **anomala 229–232**, f 231; hypsalyxis *229–232*; ubatubensis *229*, 232
Endocoenobium 152; enudorinae 151
Endoconidium 134
Endocronartium 435, f 437, 441; harknessii 435; pini 435
Endophragmia 135
Endophragmiopsis 135
Endophylloides portoricensis f 436
Endophyllum 441
Engleromyces 462
Enterobacter aerogenes 520, 522, 526, 527
Enterobryus 17; borariae 15, f 16
Entomophaga 824; kansana *856*; obscura *863*; saccharina *867*; thaxteriana *873*
Entomophthora 126, 823–893, 1260; subg Lophorhiza 841; acaricida 850; anticae *826*, *838*, *882*, 883; apiculata 826, 829, 830, 832, *833*, f 834, 847, 861, 880; aquatica 826, 830, 832, f 834, 836, 837; aulicae 826, 829, 830, 833, f 834, 837, 839, 840, 855, 857; **blissi** 826, 829, *833*, **840**; calliphorae 826, 885; calopteni *826*, *853*, *883*; carpentieri 826, 829, *833*, 841, *841*; cimbicis 869; coleopterorum 841; colorata *826*, *853*, *883*; conglomerata 826, 830, 832; f 835, 842, *871*, 872; coronata 355, 825, 826, *877*, 878; creatonotus 826, 830, 832, 843, 844; destruens 826, 830, 832, 844, 845; **dysderci** 826, 829, 833, **845**, 847; elegans 855; floridana 826, 831, 833, 847, 848, 851; fresenii 826, 829, 831, 833, f 835, 848, 851, 858, 860, 886; gloeospora 826, 830, 832, 851, f 852; grylli 824, 826, 829, 832, 839, 840, 853, f 853, 854, 857, *871*, 872, *873*, 882, 885; ignobilis *826*, *873*, *885*; **jassi** 826, *829*, *833*, **856**; kansana 826, 830, 833, f 853, 855, 856, 857; **lageniformis** 826, 829, *833*, 848, 851, **858**; **lampyridarum** *826*, 829, *833*, f 853, **858**; **lecanii** 826, 829, *833*, **859**, 860; major 826, 829, 830, 833, f 853, 860; montana

826, 830, 832, f 853, 861; muscae 883; muscivora *826*, *885*; myrmecophaga 826, 830, 833, 862; neri *826*, *849*, 850, *885*, 886; obscura 826, 829, 833, 863; occidentialis 858; papillata 826, 830, 833, 863, f 864, 865; phryganeae 826, 881; pseudococci 826, *879*, 880; pyralidarum 826, 830, 833, 865, 866; pyriformis 826, 829, 832, f 864, 866; rimosa *826*, *867*, 868, *886*; saccharina 826, 830, 833, 866; schroeteri 826, 830, 833, 867, 868, 886; sciarae 862; sphaerosperma 841; tenthredinis 826, 830, 831, 833, f 864, 868, 869; tetranychi 826, 831, 833, 851, 869, 871; **thaxteri** 826, 830, 833, 855, f 865, **871**; thaxteriana 826, 833, f 865, 873, 874, 885; virulenta 826, 829, 830, 833, 875, 876
Entonaema 462
Entophlyctis 152
Epicoccum 64; nigrum 1298
Eremascus 802; terrestris 797, 799
Eremothecium 802
Erwinia carotovora 1289
Escherichia coli 233, 520, 522, 527, 1176, 1285, 1289, 1291, 1293
Eupenicillium 697–702, 1137, 1141, 1142; baarnense 1142; brefeldianum 1142; egyptiacum 1142; ehrlichii 1142; javanicum 1142; katangense 698; lapidosum 1142; levitum 1142; parvum 1142; pinetorum 698; senticosum 698; shearii 1142; stolkiae 699; **zonatum 697**, 698, f 699, 700, f 700, 701
Eurotium 937
Eutypa 763
Eutypella fraxinicola 195
Exicioconidium 134
Exidia glandulosa 197; nucleata 197; recisa 197

Fairmania 1073
Favolus alveolaris 197, *1329*; brasiliensis 250, 1322, 1327, 1329; rhipidium 1320, 1322, 1327; tessellatus 250
Fayodia subg Clitocybula *1102*; abundans *1109*; atrialba *1112*; familia *1107*; lacerata *1103*
Fennellia 936; **flavipes** 936, **937**
Filobasidium 393
Flammulina velutipes 1323
Flavobacterium 1289
Fleischhakia 322; rhizinoides 322
Fomes 903; annosus 1322; everhartii 1322; fomentarius 1327; igniarius 583; officinalis 1201; pini 1322; pinicola 1322, 1326; roseus 1320, 1322
Fomitiporia tsugina 197
Frommea obtusa 196, 197
Fulvifomes robiniae 197
Fuligo 401; intermedia 415; muscorum 415; septica 401, 407, 408, 411, 412, 415; violacea *407*
Fusarium 64, 580–593, 900, 902, 916–919, 1260, 1300, 1371–1375; dimerum 900, 1371; epishaeria 583; graminearum 917, f 918, f 919; moniliforme 1371, f 1373, 1374; nivale 582; oxysporum 76, 900, 901, 902, 1371, 1374; f conglutinans 519, f 521, f 522, f 523, f 528; f medicaginis f 916, 917, f 918; f sp lycopersici 583; roseum 900, 902, 1371; solani 583, 900, 902, 1371; tricinctum 583
Fuscoboletinus paluster 1375

Ganoderma applanatum 196, 197; curtisii 1322, 1327; sessile 197; tsugae 1322, 1327
Gastropila 779, **780–794**; **fragilis 781**, f 782, f 788
Geastrum saccatum 197, 1329; triplex 197, 1325, 1327
Genistellospora homothallica f 14
Geoglossum difforme 195
Geotrichum, 60, 76, 900, 1173; candidum 58, 1080–1086
Gibberella fujikuroi 583; zeae 583
Gibberidea heliopsidis 1158–1170, f 1160, f 1162, f 1163, f 1164, f 1166, f 1167, f 1168
Gilbertella persicaria 582
Gliocephalotrichum 948; bulbilium 951; cylindrosporum 951; microchlamydosporum 949, 951; **ohiense** 948, **949–952**, f 950; simplex 951
Gliocladium 61, 64, 170, 401, 416, f 417; africanum 418; album 196, 418; deliquescens 900, 901; penicillioides 196; roseum 583, 900, 902, 903
Gliomastix 901, 902; convoluta 170
Gloeoporus dichrous 197
Gloeosporidina 1126, 1130; **cercocarpi 1133**, f 1133; moravica 1126, 1130, f 1132
Gloeosporium 1125; ampelophagum 1128; cercocarpi 1125–1134, *1133*; crataegi 1125, *1130*
Gloiodon 278
Glyptoderma 792
Gomphidius 226–229; rutilus 1324, 1326
Gomphogaster 227–229; **leucosarx 227**, f 228
Gomphus clavatus 1321; floccosus 1321, 1326
Gonatobotrys simplex 580, 592, 593
Gonatobotryum fuscum 26, 580, 585, 593
Gonatorhodiella highlei 580, 593
Goplana dioscoreae f 436

Guignardia 705; alaskana 645; prasiolae 645
Guttulina 1047
Guttulinopsis 1285, 1287, 1293
Gymnopus familia *1107*; oculus *1108*
Gymnosporangium cornutum 137; gaeumannii ssp albertense 438, f 440; ssp gaeumannii 137; multiporum 143
Gyrodon merulioides 1324; monticola 1324
Gyromitra 396–400; ambigua 396–398; esculenta 398; infula 396–398, 1321, 1325

Haligena spartinae 1298, 1300
Haloguignardia 641, 644
Halosphaeria mediosetigera 161–174
Hapalopilus nidulans 197
Harpella 9; melusinae 5, 15
Haynaldia 733, *735*; umbrina 733, *737*
Helicogonium 796; jacksonii 795, 801
Helicostylum 733–751; cordense 735, f 740, 741; cyaneum *749*; elegans 733, 734, 735, f 736, 738; fresenii *738*; glomeratum 748; intermedium *737*; lucknowense *745*; moreliae 749; muscae 750; nigricans 748; piriforme 582, *742*; pulchrum 735, f 737, 738, 741; repens *747*; saccardoi 749; venustellum 734, *737*
Helminthosporium 295, 1208; carbonum 539–547; cynodontis 295–309; gramineum 307; maydis 539–547; oryzae 1208
Helotium fructigenum 195
Helvella crispa 1321, 1325; lacunosa 1321, 1325; pezizoides 195
Hemiascosporiaceae 795
Hemiascosporium 796; spinulosum 795–802; **797**, f 798, f 800
Hemitrichia 775; clavata f 480, f 774, 775, 777; stipitata 195, 196
Hendersonia 1366
Hericium 278–280; abietinum 280; caputursi *1329*; clathroides 278–280; coralloides 279, 280, 1321, 1326, 1329; crispum 280; erinaceus 280, 1321; laciniatum 280; muscoides 280; ramosum 278–280
Herpomyces 640; nyctoborae 637; paranensis 641; stylopygae 640
Herpotrichiella spinifera 195
Heteroporus fractipes 197
Hexagona subcaperata 250; tenuis 1328
Hirschioporus abietinus 197; pargamenus 197
Histoplasma capsulatum 109–121, 216
Hormodendron 663
Humaria 323; hemisphaerica 201
Humicola 89–98, 901, 1092; alopallonella 161–174; grisea var thermoidea 91, 1173, 1180; insolens 91, 1173; lanuginosa 91, 97, 599, 1092, 1173, 1180, 1181, 1184; stellata 91, 1173
Hyaloscypha stevensonii 195
Hydnellum 281–284; concrescens 281, 282; ferrugineum 284; humidum 282, 283; scrobiculatum 197, 282; scrobiculatum var zonatum 282; spongiosipes 197; velutinum 197, 281; var zonatum 281; zonatum 282; f vespertile 197
Hydnopolyporus palmatus 1322, 1327
Hydnoporia fuscescens 197
Hydnum 281–284; atroviride 283; canum 282; imbricatum 1321, 1326; repandum 1321, 1327; scabrosum 283
Hydronectria tethys 903
Hydropus oculatus *1114*
Hygrophoropsis aurantiaca 1324
Hygrophorus chrysodon 1322; conicus 197, 1322
Hymenochaete agglutinans 197; badioferruginea 197; rubiginosa 197; tabacina 197
Hymenoscyphus 195; conscriptus 195; fraternus 195
Hyphochytrium catenoides 1337
Hyphoderma cristulatum 197; pubera 197
Hyphodontia 1120; arguta 197
Hyphonectria 402, 403; subg Hyphonectria 403; violacea *404*
Hypocrea gelatinosa 195; moriformis 195; rufa 195; sulphurea 195; tenerrima *414*, 415
Hypoderma 1361; macrosporum *1016*; nervisequim *1016*; sphaerioides var empetri *1363*
Hypodermella arcuata *1017*; medusa *1017*
Hypolyssus candicans *412*; violacea *403*
Hypomyces 402, 403; armeniacus 195; aurantius 195; candicans *412*, 415, 416; exiguus *409*, 411; hyalinus 195; lactifluorum 195; violaceus *403*, 407
Hyponectria 419; raciborskii 418, 419
Hypoxylon 196; cohaerens 195; deustum 195; phoenix *459*; truncatum 195
Hysterodiscula 1361

Inermisia 323
Inocybe 197
Institale bombacina 196
Iodophanus 325, 327
Irpiciporus tulipiferae 197

Jafnea fusicarpa 195

Karlingia rosea 1340
Kernia 1055, 1075; **ovata 1075**; pachypleura 1075; spirotricha *1069*
Kernkampella breyniae-patensis 441
Kneiffiella fibrosa 197

Kuehneola 702, 704; uredinis f 436
Kunkelia 441

Laboulbenia elongata 637; flagellata 637; marina 645; zanzibarina 637
Labyrinthula 223, 1302–1311, 1334; vitellina var pacifica 1303
Laccaria 197, 486; amythestina 197; gruberi *486*; laccata 197, 1323; ochropurpurea 197
Lactarius 195–197; deliciosus 1324, 1327; indigo 1324, 1327; piperatus 197; salmonicolor 1328; scrobiculatus 1324, 1326; subvellereus 197; torminosus 1324; vellereus 197, 1324; volemus var subrugosus 197; zonarius 197
Laetiporus sulphureus 197
Lagena radicicola 947
Lagenidium 970–972; callinectes 310–320, f 312–f 318, 966–970, f 968; culicidum 970, 971; **giganteum** 250, **251**, 252, 970, f 971; rabenhorstii 969
Lagenocystis 947
Lambertella 175, 177
Lamia 836; apiculata *833*; var major *860*; papiliata *863*
Lamprospora crec'hqueraultii 195, 199
Langermannia 785; wahlbergii *785*
Lanopila 779–794; argentina *785*, 787; bicolor 785, f 787, f 788, 789; guaranitica *785*, 789; wahlbergii *785*, 789
Lanzia 175, 177
Lasiobolidium **orbiculoides 655**, f 656, 657, 659; spirale 659
Lasiobolus ciliatus *1036*; equinus 1036
Lasionectria rexiana *412*
Lasiosphaeria 463; fenzlii *785*
Leccinum aurantiacum 1324; chromapes 1327; scabrum 197
Lentinellus umbilicatus 1323; vulpinus 1323
Lentinus cyathiformis 583; lepideus 1323
Lenzites betulina 197, 1322, 1327; quercina f trametea 690; saepiaria 583, 1283, 1320, 1322
Leotia chlorocephala 195; lubrica 1321
Lepiota clypeolaria 1323
Leptolegnia 319
Leptomitus 465
Leptoporus 725; trabeus 731
Leptosphaeria albopunctata 1298, 1299; discors 1297–1300; pelagica 1298, 1300; typharum 1297, 1298, 1300
Leptostroma 1020; berberidis 1360
Leptothyrium 1358, 1360; juncinum 1358, *1361*, 1365, 1368
Leucocoprinus cepestipes 1329
Leucoscypha catharinaea 201
Leucosporidium 393, 394; scottii 394
Libertella platani 196
Linderina pennispora 14, 19, 429
Linderiella columnata 1328
Linocarpon cariceti 663
Lipocystis caesalpiniae f 436
Lirula macrospora 1016; nervisequia 1016
Lopharia crassa 197; roseocarneum 198
Lophodermella arcuata 1017, 1025; morbida 1015–1027, f 1019, f 1023; sulcigena 1019
Lophodermium 694–697; hysterioides 1016; nitens 695, f 696, 1017; pinastri 195, 1016, 1025, 1026
Lulworthia 903; floridana 1297, 1298; medusa var medusa 1300
Lycogala epidendrum 412
Lycoperdon marginatum 197; molle 197; perlatum 197, 1324, 1327; pyriforme 1324; umbrinum 197
Lyophyllum decastes 1323

Macrophomina phaseoli 583
Macropodia macropus 1321, 1325
Macrosporium 860
Magnusia spirotricha *1069*
Malbranchea 134; pulchella var sulfurea 1173
Manginia *1126*
Marasmiellus sect Dealbati 472; sect Tricolores 472; caracasensis 472; cocophilus 469; **mesosporus** 468, **469**, f 470, f 471; semiustus 469; succineus 472; tricolor 469; troyanus 469; vaillantii 472; xerophyticus 472
Marasmius 197, 468; rotula 197; siccus 197
Margarinomyces 662; bubakii 683, f 684
Margarita 776
Martinia 176, *177*; panamaensis 176, *178*
Martininia 175–191; panamaensis 176, 177, 183, 190; f panamaensis 178, f 180, f 183, f 184, f 187; f **tetraspora** 178, **185**, f 188, f 189; tetraspora 176, *185*, 190
Massospora cicadina 857
Melampsora 197
Melampsorella symphyti f 436
Melanconium 1360; **juncinum 1360**
Melanobasidium *1126*
Melanobasis *1126*
Melanoleuca 197
Melanophora 1125, *1126*; cercocarpi *1133*; crataegi 1125, *1130*
Melanospora 1076; brevirostris 1076; lagenaria 195
Melasmia 1361; empetri 1361
Memnoniella echinata 170
Meruliopsis spissa 197

Merulius aureus 197; corium 583; lacrymans 1184; tremellosus 1322
Metarhizium anisopliae 900
Micrococcus luteus 520, 522, 526
Micropera fraxini 196
Microsporum gypseum 48, 55
Microstoma floccosum 199–201, f 200
Microthecium 1055; levitum 1298
Minakatella 768–778; longifila 768–778, f 770, f 772, f 774
Misgomyces lispini 637
Mollisia 663; cinerella 663
Monacrosporium doedycoides 79–86
Monascus purpureus 296
Monilia 900
Monilinia fructicola 583
Monodia elegans 763
Monodictys pelagica 1298, 1300
Monosporium 900; agaricinum 196
Monotospora 134; brevis 583
Morchella 398
Morganella fuliginea 1328; subincarnata 1327
Mortierella isabellina 582; wolfii 1172
Moschomyces 640
Mucor 582, 900, 1092, 1172, 1179, 1274, 1282; bacilliformis 965, 1275, f 1277, 1279, 1282; exitiosus 882; fragilis 805; helicostylus *749*; hiemalis 582; miehei 1092, 1172; mucedo 734; pirelloides 526; plumbeus 582; pusillus 1092, 1171, 1172, 1183; racemosus 826, 881, 882; rouxianus 527; rouxii 18, 427, 965, 1282, 1374
Mutinus caninus 202; elegans 197, 202; ravenelii 202
Mycena 197, 1101; sect Hydropus 1116; sect Typicae 1101; citricolor 583; leaiana 197; pura 1328; tenuiceps 1102
Mycenastrum 779–794; chilense *789*, 791; corium 780, 785, f 786, 789; var **diabolicum** f 786, **792**; fragile 780, *781*, f 783, 784, 785
Mycoleptodonoides adustum 198
Mycophycophila 247, 645; corallinarum 247; gymnogongri 247; polyporolithi 247
Mycosphaerella pinodes 455; rabiei 455
Mycotypha microspora 582, 1274–1283, f 1280
Myiophyton 825
Myriococcum albomyces *1059*, 1172
Myriosclerotinia 177
Myrothecium verrucaria 170
Myzocytium 947; fijiiensis 947

Naematoloma capnoides 1323, 1326; fasiculare 1323
Nais inornata 1298
Nanoscypha 952, 955; tetraspora 952–956, f 953, f 954
Nectria 242, 401–420; subg Hyphonectria 402; **candicans** 401–403, f 405, **412**, f 413, 416, 419; exigua 409; **hirsuta** 401–403, **408**, f 408; lactea 195; **myxomyceticola** 401–403, f 405, **409**, f 410, 412, 416; ochroleuca 195; rexiana 195, *412*, 415, 416, 419; squamulosa 416; **sporangiicola** 401–403, f 405, **416**, f 417, 418; violacea 401–*404*, f 405, f 406, 408, 415, 416, 419
Nectriopsis 402, 403; candicans *412*; violacea 402
Nematospora 802
Neoclitocybe 248; bissiseda 250
Neocomospora vasinfecta 306
Neozygites aphidis *849*, 850
Neurospora 458–464; crassa 307, 356, 428, 1005, 1080–1086; dodgei 462; galapagosensis 462; lineolata 462; phoenix *459*; terricola 462
Newinia 702; heterophragmae 702, **703**, f 703, 704
Nigrospora 1300
Nocardia corallina 520, 522, 527
Nowakowskiella 1337, 1347, 1349, 1354; elegans 1337, f 1339, 1340, 1343, 1348, 1350; hemisphaerospora f 1339, 1343; macrospora 1347, 1348; multispora 1347; profusa 1343, f 1343, 1345, f 1345, 1347, 1348, 1354
Nummularia 463

Oidiodendron 900
Oidium conspersum 196; ochraceum 196
Oligonema flavidum 195
Ombrophila 195
Omphalia 472; oculus *1108*
Omphalina 1101; subcartilaginea 1115, 1116
Omphalotus olearius 1323
Onnia tomentosa 197
Ophionectria 409
Orbicula 657; parietina 657
Orbilia 195; coccinella 195; luteorubella 195
Orbiliopsis 195
Osteina obducta 197
Otidea 325; onotica 1321
Oudemansiella radicata 197, 1323, 1327
Oxydontia chrysorhiza 197
Oxyporus populinus 197

Pachyella 321–326; barlaeana 323, 324; clypeata 324
Paecilomyces 60, 600, 1173; crustaceus 1172; marquandii 1142; varioti 76
Palavascia 10; sphaeromae f 9, 10
Panaeolus 1328; antillarum 1323, 1327, 1329; foenisecii 1329
Panus conchatus 1323; rudis 1323, 1327

Papulaspora f 597, 598; thermophila 596–599, 1173
Paracesatiella pulchella 765
Paramoebidium 10, 11, 13, f 13, 17, 18
Parataeniella f 11
Parmelia caperata 196; rudecta 196
Parmeliopsis aleurites 610
Parmularia hankeri 765
Paucithecium elegantissimum *463*
Paxillus atrotomentosus 1324; panuoides 1324
Peckiella 419; violacea *403*
Peltidium 322; oocardii 322, 323
Penicillium 60–63, 170, 196, 600, 902, 1135–1157; aculeatum 1144; adametzii 1142; albicans 1145; albidum 1143; atramentosum 1143; aurantiocandidum 1143; aurantioviolaceum 1142; aurantiovirens 1144; biforme 1143; brevicompactum 1143; camembertii 1143; canescens 1143; capsulatum 1142; carneolutescens 1144; casei 1143; caseicola 1141, 1143; charlesii 1142; chermesinum 1142; chrysogenum 1080–1086, 1143; citreoviride 1142; citrinum 900, 1143; claviforme 1144; clavigerum 583, 1144; commune 1143; corylophilum 1143; corymbiferum 1144; crustosum 1144; cyaneofulvum 1143; cyaneum 1142; cyclopium 1144; var echinulatum 1144; daleae 1142; decumbens 1142; digitatum 583, 1143; diversum 1144; var aureum 1145; duclauxii 1144; dupontii 1172, 1181; emersonii 1172; expansum 1144; fellutanum 1142; frequentans 900, 1142; funiculosum 900, 1144; fuscum 1142; gladioli 1143; godlerwskii 1143; granulatum 1144; griseofulvum 329; herquei 583, 1145; humuli 1142; implicatum 1142; islandicum 1144; italicum 583, 1144; janthinellum 76, 698, 1143; jensenii 1143; kapuscinskii 1143; lanosocoeruleum 1143; lanosogriseum 1143; lanosoviride 1143; lanosum 1143; lavendulum 1143; leycettanum 1172; lilacinum 211–214, 1142; lividum 1142; martensii 1144; meleagrinum 1143; melinii 1143; miczynskii 1143; multicolor 1142; nalgiovense 900, 1143; namyslowskii 1143; nigricans 1143; notatum 329, 1143; novaezeelandiae 1145; ochraceum 1143; ochrochloron 1143; olivinoviride 1144; olsonii 1145; oxalicum 1143; palitans 1144; pallidum 1143; patulum 1080–1086, 1144; paxilli 1143; phoenicium 1142; piceum 1144, 1173; piscarium 1143; psittacinum 1143; puberulum 1144; pulvillorum 1142; purpurogenum 1144; var rubrisclerotium 1144; purpurrescens 1142; pusillum 1142; putterillii 1143; raciborskii 1143; raistrickii 1142; resticulosum 1143; restrictum 1142; rolfsii 1142; roquefortii 583, 1143; roseopurpureum 583, 1142; rubrum 1144; rugulosum 1144; sclerotiorum 1142; simplicissimum 1143; solitum 1143; soppii 1142; spinulosum 1142; steckii 900, 902, 1143; stoloniferum 1143; sublateritium 1142; tardum 1144; terlikowskii 1142; terrestre 1143; thomii 1142; trzebinskii 1142; turbatum 1142; variabile 1144; varians 1144; velutinum 1142; vermiculatum 900; verruculosum 1144; vinaceum 1142; viridicatum 519, 522, 528, 1144; waksmanii 1142; **zonatum 697**
Peniophora 197; sect Membranacea 1253; carnosa 1255; cinerea 197; **fibuligera 1253**, f 1254; filamentosa 197; **indica 1250**, f 1251, f 1252; ludoviciana 1247; nikau 1253; nivea 1253
Pennella hovassi 15, f 16
Penzigia 463
Perichaena 775–778; depressa 773; minor 775; pulcherrima 777, 778; syncarpon 777; vermicularis 478
Periconia 925; circinata 583
Peridoxylon 463; petersii 1199, 1200, f 1199
Pestalopezia rhododendri 761
Pestalotia 61, 64, 170, 901; planimi 1298
Petriellidium 1055
Pezicula 325, 326
Peziza 322–326, 913; badia 1321, 1325; barlaeana 322; clypeata 323; lechithina 324, 326; quelepidotia 913–915, f 914
Phaedropezia 324
Phaeocollybia kauffmanii 1324, 1326
Phallus impudicus 1329
Phellinus 197; gilvus 197; pomaceus 197; punctatus 197
Phellodon 281; confluens 197, 281; fibulatus 281; graveolens 281; putidus 281
Phialophora 661–688; americana *665*, 682; **botulispora 678**, *679*, f 680, f 681, 687; brunnescens *675*, 686; bubakii 683, f 686; caliciformis *675*, 678, 684, 686; fastigiata 663, 667, f 668, f 669, 681, 682; lagerbergii 670, f 671, 679, 687; melinii 663, 672, f 673, f 674, 681, 683; obscura 682, *683*; radicicola 663; richardsiae 675, f 676, 681, 685, 686; verrucosa 662–665, f 666, 682, f 685

Phillipsia crispata 1328; domingensis 1328
Phleogena faginea 198
Phlogiotis helvelloides 1321, 1326
Phlyctidium 152; apophysatum 151
Phlyctochytrium hallii 537; longicollum 537; mangrovii f 1333, 1335; **marilandicum 1331**, f 1332; **powhatanensis** f 532, **535**, f 536, 537; **recurvastomum 379**, f 379, 380, 381, f 382; reinboltae 1334; **spinosum** f 1333, **1334**
Pholiota albocrenulata 1324, 1327; aurivella 1324; carbonaria 1324, 1326; spumosa 1324; squarrosa 1324, 1327; squarrosoides 1324
Phoma 61, 64, 901–903, 1297–1300; exigua 709–712, f 711
Phragmidiella 702, 704; markhamiae f 436
Phycomyces 352, 353; blakesleeanus 343
Phylloporus 196; rhodoxanthus 198
Phyllosticata rosae 196
Physarella oblonga 235
Physarum 415, 903; compressum 1294; didermoides 418; flavicomum 224, 235; nucleatum 195; nutans 195, 412; polycephalum 195, 232–235, 418, 510, 511; pusillum 1294
Physcia muscigena 196; orbicularis 196; f ombropulchra 196
Phytophthora 76, 860; fragariae 1259–1265; infestans 67–77
Pila 779, *780*; fragilis *781*, f 783
Pileolaria 438; brevipes f 436
Pilobolus 351–353; kleinii 343
Piptocephalis 749; virginiana 999
Pirispora trisetosa 763
Pisolithus tinctorius 1210–1212, f 1211
Pithomyces 958; chartarum 960
Placuntium andromedae 1360
Plectania floccosa 199
Pleospora 900, 1298; herbarum var herbarum 1298
Pleuroascus nicholsonii f 658, 659, 660
Pleurocystis helicostylum *735*
Pleurothecium recurvatum 196
Pleurotus caerulipes var gastonii 1325; hirtus 1328; levis 1323; ostreatus 28–35, f 29, 198, 1323, 1325, 1327; sapidus 28–35, f 29; subareolatus 34
Plicaria 323
Podoscypha 203; bolleana 203; elegans 203; involuta 203; multizonata 203–207; nitidula var warneckeana 203; nuda 203; parvula 203; ravenelii 203–207
Podosordaria 463
Polyascomyces 929–934; trichophyae 640, 929, f 930, 931
Polychytrium f 1347, 1353, 1354
Polyphagus 151, 152; euglenae 151
Polyporus 195, 198, 248, 250, 725; abietinus 1123, 1320, 1322; albellus 727, 731; alboluteus 1327; amygdalinus 208–211, f 209; arcularius 1322; australis 1319; berkeleyi 1322; betulinus 1327; caudicinus 209; cinnabarinus 903, *1329*; conchifer 1327; dermoporus 250; elegans 198, 1322, 1327; fagicola 1327; fibrillosus 1327; frondosus 1327; gilvus 1322; hirtus 1329; hydnoides 1320; immitis 731; lacteus 725–732, *727*; leucomelas 1322; licnoides 1320; montagnei var greenei 196; occidentalis 1328; ovinus 1322; pargamenus 1123, 1322; perennis 1322; pinsitus 1319, 1320, *1329*; pseudosulphureus 208–211, f 209; sanguineus 1319–1322, 1327, 1329; schweinitzii 1322, 1326; squamosus 209; stipitarius f 249, 250; stipticus 727, 731; sulphureus 210, 1200, 1201, f 1200; tephroleucus 726, 727, 730; trabeus 731; tricholoma 1322; tulipiferae 1322; umbellatus 1322, 1327; versicolor 583, 1329; villosus 1322, 1327, 1329
Polysphondylium pallidum 1047, 1050, 1052; violaceum 1047, 1050, 1051
Poria 1120; **apacheriensis 1117–1124**, f 1118, f 1119, f 1122; crassa 198; fraxinophila 198; medullapanis 198; punctata 583; sinuasa 583; taxicola 1320; versipora 1120, 1123
Poronia 463; punctata 460
Poronidulus conchifer 198
Porotheleum fimbriatum 198
Preussia 1073; indica 1073
Propolis versicolor 195
Prospodium 438; sect Cyathospora 438; appendiculatum f 436
Proteus vulgaris 520–525
Prototrichia 777
Psathyrella 903; sepulchralis 1328
Pseudevernia furfuracea 609
Pseudohydnum gelatinosum 1328, 1329
Pseudomeliola 765, 766; styracum 765
Pseudotomentella umbrina 198
Psilocybe 1328; acutissima 1328; aztecorum 1328; bolivarii 1328; bonetii 1328; caerulescens 1323, 1327; caerulipes 1327; var caerulipes 1323; var gastonii 1328; coprophila 1328, 1329; cordispora 1328; isaurii 1328; mexicana 1328; muliercula 1328; yungensis 1328; zapotecorum 1328
Psilopezia 321–326; aquatica 323, 324; babbingtonii 195, 322–325; flavida 322–324; nummularia 195, 321, 324
Puccinia 438, f 438, f 439; convolvulus 198; coronata 198; graminis 437; var tritici 519; violae 196, 198

Pucciniastrum vaccinii 437, f 438, f 439, 440
Pullaspora tetrachaeta 763
Pulvinaria 323; bohemica 323; oocardii 323
Pycnidiophora multispora 900
Pyrenochaeta terrestris 79–86
Pyrenopeziza 663; laricina 663
Pyrenophora avenae 583
Pyronema 322, 1036–1043; confluens 810; domesticum 1036–1043, f 1041; omphalodes 1042
Pythium 76, 251, 319, 329, 383, 384, 582, 860, 1008; acanthicum 1080–1086; aphanidermatum 582; elongatum 385; periplocum 582; tenue 384, 386; ultimum 126, 961
Pyxine caesiopruinosa 196; sorediata 196

Radiigera atrogleba 1325, 1326; fuscogleba 1325, 1326
Ramacrinella 15
Ramariopsis kunzei 198
Ravenelia 438; mera f 436
Remispora hamata 1297, 1298
Resupinatus applicatus 198
Rhachomyces 637; velatus 637
Rhinocladiella 60
Rhizidiomyces 427, 428; apophysatus 223
Rhizidium 152; windermerense 151
Rhizina 323; inflata 1321
Rhizoclosmatium 152; globosum 151
Rhizoctonia f 1038; solani 941–944
Rhizomucor 1172
Rhizophlyctis rosea 377, 385, 386, 1334, 1350, 1351; proliferum 385; recurvastomum 385
Rhizophydium 152, 379, 1335; columnaris 151; fallax 151; globosum 379; goniosporum 151; graminis 151; megarrhizum 375; nobile 381; **proliferum 377**, f 378, 379; sphaerotheca 379; stipitatum 1334
Rhizopogon 198
Rhizopus 1172, 1179; arrhizus 126; cohnii 1172; microsporus 1172; nigricans 295, 308; nodosus 900; oryzae 963–966; rhizopodoformis 965; sexualis 519, 527, 1080–1086; stolonifer 582, 965
Rhizosiphon 152; akinetum 151; anabaenae 151; crassum 151
Rhodophyllus abortivus 472, 1324, 1327
Rhodosporidium 393, 394; diobovatum 394; sphaerocarpum 394; toruloides 394
Rhodotorula 1289; glutinis 394; peneaus 366
Rhynchophoromyces 638
Rhynchosporina tridentis 196
Rhytisma 694, 1361; acerinum 1016, 1025, 1026; empetri 1361, *1362*, *1363*, 1364; punctatum 1016; salicinum 695, f 696, 697, 1360
Rickia 637
Robillarda rhizophorae 903
Rosellinia 1298; subiculata 195
Russula alutacea 1324, 1327; brevipes 1324, 1327; emetica 1324; flavida 198; foetens 1324; palustris 198; xerampelina 1324
Rutstroemia 175; longipes 195; macrospora 195; petiolorum 195

Saccardomyces styracum 765
Saccharomyces cerevisiae 583, 587, 819, 966, 1080–1086, 1180, 1184; fragilis 1184
Sadasivania 925–929; aristidae 925, 927; bhustha 925, f 926, 927, f 928; girisa 925, 927
Saprolegnia 465–468, 1007–1014; ferax 223, 224; parasitica 1008–1014; terrestris 223, 224
Sarcina lutea 520, 522, f 523, 528, 1289
Sarcodon 281, 283; piperatus 283; scabrosus 283
Sarcoscypha coccinea 955; floccosa 195; occidentalis 195
Sarcosoma mexicana 1321, 1325
Sarcosphaera coronaria *1329*; eximia 1321, 1329
Sarcoxylon 458, 463; phoenix *459*
Scherffeliomyces appendiculatus 375, f 376
Schizochytrium aggregatum 1334
Schizophyllum 1008; commune 46, 198, 355, 356, 583, 809–822, f 812, 1322 1327
Schizopora 1120; paradoxa 198, 1120, 1123
Schizothyrella 1358; quercina 1358
Schneepia guaranitica 765
Schweinitziella 765; palmigena 765; styracum 765
Scleroderma 780; albidum 1325; areolatum 198, 1325, 1327, 1329; aurantium 198, *1329*; bovista 1327; chilense *790*; cepa 198, 1325, 1329; citrinum 1325, 1327, 1329; var citrinum 198; flavidum *1329*; floridanum 1327; hypogaeum 1325, 1326; lycoperdoides 198, *1329*; macrorrhizon 1327; michiganense 1327; nitidum 198; polyrhizum 1327; texense 1325, 1327; verrucosum 198, 1325, 1327
Sclerotinia 175, 177
Scolecobasidium 1173
Scolecoccoidea 764–767; costaricensis 765, f 766
Scopulariopsis 900, 902, 1058, 1075; brevicaulis 306

Scutellinia scutellata 195, 201, 1321; umbrorum 195
Scutiger caeruliporus 194, 198; cristatus 198
Sebacina incrustans 198
Sepedonium 1058; chrysospermum 196
Septochytrium 1354; marilandicum 1348
Septoria 1297–1300; apiicola 582; clematidis 196
Septosperma rhizophydii 1334
Serratia marcescens 520–523, 527
Siphonaria 152; petersenii 151; sparrowii 151; variabilis 151
Sistotrema brinkmannii 972–974, 1234–1249
Smittium 3, 14, 15, 122–127, 421–431; culisetae 13, 17, 122–127, 421–431, f 425
Solenia candida 198
Sordaria fimicola 1080–1086, f 1081
Sorosphaera veronicae 220–226, f 221, f 222
Spathularia flavida 1327
Spathulospora 615–647; **adelpha 615**, f 616, 617, f 618, 623, 629, 630–638; **antarctica 619**, f 621, 629–638; **calva 622**, f 624, f 626, 629–638; **lanata** 623, **625**, 629, f 629, 631, 633–639; phycophila 247, 615, 617, 623, 627, f 628, 629–638
Spathulosporaceae 615
Spathulosporales 615
Sphaceloma 1125, 1126; ampelinum 1125, 1126, 1127, f 1128; cercocarpi 1125–1134, f 1129, *1134*; crataegi 1126, 1130, f 1131
Sphaeria combustorum 462; empetri *1363*, 1364; phoenix 458, *459*, 462; violacea *403*, 407
Sphaeronemella helvellae 396, 398
Sphaeropezia empetri 1364
Sphaerophragmium acaciae f 436
Sphaerospora saccata 1172
Sphaerosporium lignatile 196
Sphaerostilbe repens 903
Sphaerulina pedicellata 1298, 1299, 1300
Sphaleromyces lathrobii 640
Spongipellis borealis 1322, 1326
Spongiporus lacteus *727*, 730
Sporobolomyces odorus 394
Sporochisma 134
Sporoglena 134
Sporomega empetri *1363*
Sporothrix 60
Sporotrichum 241, 242, 1172; thermophile 241–243, 1173
Spumaria alba 415
Squamanita 472
Stachylina 9; grandispora 15; minuta f 16
Staphylotrichum 655
Steccherinum adustum 198
Stemonitis 195, 196, 401, 411, 415, 478; axifera 195; flavogenita 412; fusca 411, 412; herbatica 966, 1294; nigrescens 411, 412; splendens 195; trechispora 415; virginiensis 223
Stemonitomycetidae 483, 484
Stemphylium 958; botryosum 582; dendriticum 960; sarciniforme 196
Stephanoma phaeospora 580–593, f 585, f 588
Stereum 195, 196; complicatum 198; fasciatum 198; gausapatum 198, 1322; hirsutum 1322; ostrea 198, 1328, 1329; purpureum 1329; striatum 198; styracifluum 198; subpileatum 198
Sterigmatocystis 757; flavipes 753; nidulans 1028
Stigmatomyces 929, 933; baeri 640; gyrophaenae 929, 931, 932, *933*, 933
Stigmina carpophila 583
Stilbella thermophila 1173; tomentosa 196; var **ovalispora** 403, **409**; var tomentosa 402, 403, 409
Stilbum aurifilum 196; tomentosum var ovalispora *409*
Strobilomyces floccopus 198, 1324, 1327
Stromatinia narcissi 36
Stromatoneurospora 459, 462; **elegantissima 463**; **phoenix 459**, f 461, 463
Strongwellsea 824
Stropharia 198, 1328; aeruginosa 1327; coronilla 1329
Suillus brevipes 1324, 1327; cyanescens 1327; flavidus 1377; **helenae 1375**, f 1376; umbonatus 1377
Syncephalastrum racemosum 582
Syncephalis 21
Synchytrium decipiens 195
Syzygites megalocarpus 195

Talaromyces 1144; avellaneus 1144; bacillosporus 114; dupontii 1183; emersonii 89–98, 241–243, 1172; helicus 1144; leycettanus 1172; luteus 1144; rotundus 1144; spiculisporus 1141, 1144; stipitatus 1144; striatus 1144; thermophilus 97, 599, 1144, 1172, 1183; vermiculatus 1144; wortmannii 1144
Tarichium 824, 825
Terenodon 281; serenus 281
Thamnidium 733; amoenum *737*; anomalum 803–808; chaetocladioides *738*; cyaneum 749; elegans 582, 733, 803–808; fresenii *738*; glomeratum *748*, 749; helicostylum *735*; nigricans *748*; piriforms *742*; repens *747*
Thamnostylum 733–751, lucknowense 742, 745, f 746, 747; piriforme f 740, 742, f 744; **repens** 742, **747**, 749
Thanatephorus cucumeris 583, f 942, 943
Thaumasiomyces scabellularius 638, 641

Thecotheus 325, 327
Thelephora cervicornia 198; intybacea 198; multipartitia 198
Thermoascus 1091, 1092; aurantiacus 89–98, 600, 1091, 1172; crustaceus 1172; ibadanesis 1173; lanuginosa 1171
Thermus aquaticus 1176
Therrya fuckelii 763
Thielavia 649, 651, 655, 1055–1077, f 1060 1172; albomyces 1059; angulata 1072; appendiculata 1058, 1061; basicola 1059, 1062; bovina 1073; **californica 651**, f 652, 653, 1057, 1062; **cephalothecoides 653**, f 654, 655, 1058, 1062; coactilis 1063; coerulescens 1073; **fimeti** 653, 1057, 1058, **1064**; hycaniae 653, 1064; indica 1073; leptoderma 1073, *1074*; lutescens *1068*; **magna 1065**; **minor** 1063, **1065**; **minuta 1066**; neocaledoniensis 1057, 1066; novoguineenis 1066; ovata 1075, *1075*; **peruviana** 653, **1067**; **phyllactinea 1067**; pilosa 1068; renomenata *1062*; reticulata 1075; savoryi 1075; sepedonium 1058, 1067, 1068, 1172; var minor *1068*; setosa 1069; soppittii 1076; **spirotricha 1069**; **subfimeti 1070**; terrestris 1070; terricola 1058, 1071; f minor *1065*; var minor *1065*; thermophila 1071, 1172; **trichorobusta 1071**; trigonosporium 1057; variospora 1057, 1072
Thielaviopsis 134; basicola 582
Thraustochytrium 313; roseum 1035, 1308, 1334
Tieghemiomyces parasiticus 21–26, 999–1006
Tilachlidium pinnatum 196
Tomentella 198; botryoides 198; pallidofulva 198
Torula 1092; thermophila 1092, 1173
Torulopsis utilis 961, 1179
Trachyspora intrusa f 436
Trametes 208, 689; cubensis 1328; malicola 196; suaveolens 194, 198
Tremella 393, 394; aurantia 393; encephala 393
Tremellodendron candidum 198; cladonia 198; meristematoides 198
Triangularia 693; angulospora 693
Trichia botrytis 412; floriformis 412; varia 412
Trichoderma 61, 62, 239; glaucum 900, 901; viride 329, 519–523, f 523, 528, 583, 900–904, 961
Tricholoma nudum 961
Tricholomopsis 1102; platyphylla 198, 1102, 1322; rutilans 1322, 1326
Trichophaea 1036–1043; abundans 1036–1043, f 1041; hemisphaeroides 1036; paludosa 199
Trichophyton mentagrophytes 48–56; granulosum 48–56; interdigitale 49
Trichosporon cutaneum 526
Trichothecium roseum 583
Trichozygospora chironomidarum 3
Triplosporium 824, 825, 851, 859; fresenii *849*; lageniformis *858*; tetranychi *870*, 871
Tripterospora 1064
Tritirachium 76, 582, 1173
Turgidosculum ulvae 645
Tylopilus alboater 198; cyaneotinctus 198; felleus 198; sordidus 198
Tyromyces 198, 725; gloeocystidiatus 731; lacteus 725–731, f 728, f 729; semipileatus 198; spragueae 198; tephroleucus 198, 725, 726, 727, 731

Ulocladium atrum 582
Uredo 441, cupressicola 440; holwayi 437
Uromyces 438, 1299; argutus 1299
Uropyxis 438
Ustilago avenae 583, 588; maydis 583, 1080–1086

Vararia investiens 198
Vascellum pratense 1329
Veluticeps 556; berkeleyi 548–557, f 554; fusca 548; pini 556
Venturia inaequalis 46
Verticicladium 955
Verticillium 61, 64, 401, 662, 900; alboatrum 583; nanum 409; var rexianum 412; niveostratosum *409*, 412; rexianum 403, 409, 412
Volvariella bakeri 1328; bombycina 1323, 1327; volvacea 355–364

Whetzelinia 177

Xerocomus chrysenteron 198; parasiticus 198; subtomentosus 198, 1327
Xeromphalina tenuipes 1328, 1329
Xylaria 458, 463; phoenix *459*
Xylocrea elegantissima 458, 459, *463*
Xyloma empetri 1362, *1362*, *1363*, 1364
Xylosphaera longipes 196; phoenix *459*; polymorpha 196, 1321, 1327

Zalerion maritimum 489, 490
Zoophthora 824, 844; calliphorae 885; creatonotus *843*; gloeospora *851*; montana *861*
Zopfiella 690, 693, 1075; **flammifera** 690, **691**–694, f 692, f 693; latipes 694; pilifera 694; tabulata 693
Zygaenobia 824
Zygorhizidium 151, 152, 375
Zygorhynchus 1080–1086; macrocarpus 527; moelleri 582, 965; vuilleminii 519, 522, f 524, 525–527

HOST INDEX

The Host Index includes generic names of hosts and those fungi which are definitely indicated in the text as occurring on a host.

Abies
Hericium coralloides 279
Lirula macrospora 1016; nervisequia 1016
Phialophora melinii 675
Sistotrema brinkmannii 1239
Veluticeps berkeleyi 549
Acer
Minakatella longifila 771
Phialophora botulispora 679; lagerbergii 672; melinii 675; verrucosa 665, 667
Pleurotus 33; sapidus 28
Rhytisma acerinum 1016; punctatum 1016
Sistotrema brinkmannii 1239
Acleris (animal)
Entomophthora virulenta 830
Aclypea (animal)
Entomophthora 827
Acridium (animal)
Entomophthora 827; colorata 883
Mucor racemosus 882
Acrydium (animal)
Entomophthora 827
Aedes (animal)
Entomophthora aquatica 830; conglomerata 830
Agaricus
Conidiobolus coronatus 879
Agave
Poria apacheriensis 1120
Agriotes (animal)
Entomophthora carpentieri 829
Amanita
Hypomyces hyalinus 195
Amaurochaete
Nectria candicans 415
Ammophila
Marasmiellus mesosporus 468
Amphicarpa
Synchytrium decipiens 195
Anona
Endemosarca anomala 230
Anopheles (animal)
Entomophthora 827
Lagenidium giganteum 251
Apantesis (animal)
Entomophthora aulicae 829
Aphelenchus (animal)
Monacrosporium doedycoides 79
Aphis (animal)
Entomophthora fresenii 829; lageniformis 829; neri 885; pyriformis 829; thaxteriana 829
Arctia (animal)
Entomophthora aulicae 830
Arcyria
Gliocladium africanum 418
Nectria myxomyceticola 411; rexiana 195
Stilbella tomentosa 196
Verticillium nanum var rexianum 412
Verticillium rexianum 412
Aspergillus
Stephanoma phaeospora 582
Aster
Gibberidea heliopsidis 1158

Bagnisiopsis
Paracesatiella pulchella 765
Ballia
Chadefaudia balliae 244
Spathulospora antarctia 620; calva 623; lanata 625; phycophila 247, 615, 627
Betula
Phialophora botulispora 679; fastigiata 669, 670; lagerbergii 672; melinii 675; verrucosa 665, 667
Sistotrema brinkmannii 1239
Trametes suaveolens 198
Bipolaris
Stephanoma phaeospora 582
Blissus (animal)
Entomophthora blissi 829
Brevicoryne (animal)
Entomophthora fresenii 829
Buddleja
Poria apacheriensis 1120

Caloptenus (animal)
Entomophthora calopteni 883
Callinectes (animal)
Lagenidium callinectes 310
Camnula (animal)
Entomophthora grylli 829
Carex
Duplicaria 1357; acuminata 1365
Carpinus
Conioscypha lignicola 130
Carya
Helotium fructigenum 195
Pleurotus 33; sapidus 28
Castanea
Sistotrema brinkmannii 1240
Cattleya
Stephanoma phaeospora 580–593
Cedrus
Peniophora fibuligera 1253

Ceratocystis
Stephanoma phaeospora 582
Cercocarpus
Gloeosporidina cercocarpi 1134
Gloeosporium cercocarpi 1125
Sphaceloma cercocarpi 1125, 1129
Cereus
Didymium nigripes 1284
Ceuthophilus (animal)
Entomophthora grylli 829
Chamaecyparis
Veluticeps berkeleyi 556; pini 556
Chauliognathus (animal)
Entomophthora lampyridarum 829
Chelonibia (animal)
Lagenidium callinectes 310
Chilopsis
Poria apacheriensis 1119
Chironomus (animal)
Entomophthora montana 830; schroeteri 830
Chlamydomonas
Scherffeliomyces appendiculatus 375
Zygorhizidium 375
Chorthippus (animal)
Entomophthora grylli 829
Cicer
Ascochyta rabiei 445
Cimbex (animal)
Entomophthora 827
Cladosporium
Stephanoma phaeospora 582
Clematis
Septoria clematidis 196
Colpodae (animal)
Endemosarca anomala 229
Comatricha
Verticillium rexianum 412
Coriolus
Hypocrea gelatinosa 195
Stilbum aurifilum 196
Corticium
Helicogonium jacksonii 801
Cowania
Poria apacheriensis 1120
Crataegus
Lophodermium hysterioides 1016
Sphaceloma crataegi 1130
Creatonotus (animal)
Entomophthora creatonotus 830
Cribraria
Verticillium rexianum 412
Culex (animal)
Entomophthora conglomerata 830; destruens 830
Lagenidium giganteum 251
Culiseta (animal)
Entomophthora aquatica 830; conglomerata 830
Lagenidium giganteum 252
Cyrtacanthacris (animal)
Entomophthora 827
Dalbergia
Peniophora indica 1250
Daphnia (animal)
Lagenidium giganteum 250, 251
Daucus
Alternaria radicina 196
Deltocephalus (animal)
Entomophthora apiculata 829
Diachea
Nectria candicans 415
Diacrisia (animal)
Entomophthora anticae 882; aulicae 830
Dictydium
Verticillium rexianum 412
Diderma
Nectria candicans 415
Didymium
Nectria candicans 415
Diospyros
Minakatella longifila 768, 771
Diprion (animal)
Entomophthora tenthredinis 830
Dissosteira (animal)
Entomophthora grylli 829
Dolerus (animal)
Entomophthora tenthredinis 831
Dysdercus (animal)
Entomophthora dysderci 829

Eleocharis
Phlyctochytrium spinosum 1334
Eleusine
Marasmiellus mesosporus 468
Empetrum
Duplicaria 1357; empetri 1361, 1364
Eotetranychus (animal)
Entomophthora floridana 831
Equisetum
Sadasivania bhustha 927
Eucalyptus
Sistotrema brinkmannii 1241
Euchelia (animal)
Entomophthora 827
Euprepia (animal)
Entomophthora 827
Euproctis (animal)
Entomophthora aulicae 830
Eutetranychus (animal)
Entomophthora floridana 831
Eutypa
Didymosphaeria eutypae 763

Fagus
Exidia nucleatus 197
Hericium coralloides 279, 280
Hypoxylon cohaerens 195
Phialophora melinii 675
Sistotrema brinkmannii 1240
Ficus
Didymium disciformis 474

Fraxinus
Dendrothele griseocana 197
Micropera fraxini 196
Phialophora melinii 675; verrucosa 665, 667
Poria fraxinophila 198
Frommea
Darluca filum 196
Fuligo
Nectria candicans 415; myxomycetícola 411; violacea 407
Verticillium rexianum 412
Fusarium
Stephanoma phaeospora 580–593

Galleria (animal)
Conidiobolus coronatus 878
Entomophthora 827
Ganoderma
Institale bombacina 196
Gomphocerus (animal)
Entomophthora 827
Gryllus (animal)
Entomophthora grylli 829

Halotydeus (animal)
Entomophthora 828
Haplopappus
Poria apacheriensis 1120
Helianthus
Gibberidea heliopsidis 1158
Heterophragma
Newinia heterophragmae 704
Hemitrichia
Stilbella tomentosa 196
Hyalopterus (animal)
Entomophthora fresenii 829
Hyphantria (animal)
Entomophthora apiculata 830; aulicae 830
Hyphoraia (animal)
Entomophthora aulicae 830
Hypocrita (animal)
Entomophthora saccharina 830
Hypoxylon
Pleurothecium recurvatum 196

Jassargus (animal)
Entomophthora apiculata 829
Jassus (animal)
Entomophthora jassi 829
Juglans
Poria apacheriensis 1119
Juncus
Crandallia juncicola 1368
Duplicaria 1357; acuminata 1365
Juniperus
Didymium orthonemata 292; synsporon 288
Gymnosporangium gaeumannii ssp albertense 137
Minakatella longifila 771
Poria apacheriensis 1119

Keratella (animal)
Phlyctochytrium powhatanensis 535

Lactarius
Amblyosporium spongiosum 196
Monosporium agaricinum 196
Syzygites megalocarpus 195
Larix
Phialophora fastigiata 670
Sistotrema brinkmannii 1240
Lasius (animal)
Entomophthora myrmecophaga 830
Lecanium (animal)
Entomophthora fresenii 829; lecanii 829
Ligia (animal)
Asellaria ligiae 5
Liriodendron
Pleurotus 33
Longiunguis (animal)
Entomophthora fresenii 829; lecanii 829
Lycogala
Verticillium rexianum 412

Macrosiphum (animal)
Entomophthora pyriformis 829
Melanoplus (animal)
Entomophthora grylli 829
Miconia
Coccostroma melastomatum 765
Scolecoccoidea costaricensis 765
Mortonia
Poria apacheriensis 1120
Mycetophila (animal)
Entomophthora gloeospora 830
Myzodium (animal)
Entomophthora major 829

Nasutitermes (animal)
Conidiobolus coronatus 878
Entomophthora 828
Neotomatis (animal)
Chaetomium deceptivum 648
Nomadacris (animal)
Entomophthora grylli 829

Odocoilei (animal)
Lasiobolidium orbiculoides 657
Operophtera (animal)
Entomophthora papillata 830
Ornithacris (animal)
Entomophthora grylli 829
Ostrya
Aleurodiscus oakesii 196

Pandanus
Thielavia neocaledoniensis 1066
Panicum
Balansia strangulans 195
Panolis (animal)
Entomophthora aulicae 830

Panonychus (animal)
Entomophthora floridana 831
Peronea (animal)
Entomophthora 828
Pestalopezia
Didymosphaeria atroseptata 761
Petrophora (animal)
Entomophthora 828
Phaenicia (animal)
Entomophthora kansana 830
Phellinus
Hyphoderma pubera 197
Phormia (animal)
Entomophthora kansana 830
Phryganea (animal)
Entomophthora phryganeae 881
Phylloporus
Sepedonium chrysospermum 196
Physarum
Hyponectria raciborskii 418
Nectria candicans 415; sporangiicola 418
Verticillium rexianum 412
Picea
Hericium coralloides 279
Martininia tetraspora 176
Phialophora botulispora 679; fastigiata 669, 670; lagerbergii 672; melinii 675
Sistotrema brinkmannii 1239
Pinus
Cadophora brunnescens 662
Lophodermella arcuata 1017; morbida 1015; sulcigena 1019
Lophodermium nitens 1017; pinastri 1016
Phialophora botulispora 679; fastigiata 669, 670; lagerbergii 672; melinii 675; richardsiae 677; verrucosa 665, 667
Sistotrema brinkmannii 1240
Therrya fuckelii 763
Veluticeps berkeleyi 548
Platanus
Libertella platani 196
Polyporus
Orbilia luteorubella 195
Populus
Hericium ramosum 280
Phialophora fastigiata 669, 670; verrucosa 665, 667; melinii 675
Pleurotus 33; ostreatus 28
Sistotrema brinkmannii 1241
Porthesia (animal)
Empusa elegans 884
Entomophthora 828
Potentilla
Frommea obtusa 197
Pristiphora (animal)
Entomophthora tenthredinis 831
Prosopis
Poria apacheriensis 1117
Pseudaletia (animal)
Entomophthora creatonotus 830
Pseudococcus (animal)
Conidiobolus pseudococci 880
Entomophthora 828
Psychoda (animal)
Entomophthora 828
Ptilodactyla (animal)
Entomophthora major 829
Puccinia
Darluca filum 196
Punica
Thielavia appendiculata 1061

Quercus
Gloeosporidina moravica 1132
Microstoma floccosum 200
Minakatella longifila 771
Peridoxylon petersii 1199
Pleurotus 33; sapidus 28
Poria apacheriensis 1120
Sistotrema brinkmannii 1239

Raphanus
Albugo candida 1169
Rhododendron
Pestalopezia rhododendri 761
Rhopalosiphum (animal)
Entomophthora pyriformis 829
Robinia
Fulviformes robiniae 197
Rosa
Phyllosticta rosae 196

Salix
Pleurotus 33
Schizolachnus (animal)
Entomophthora 828; fresenii 829
Schneepia
Saccardomyces styracum 765
Sciara (animal)
Empusa sciarae 886
Entomophthora 828; papillata 830
Scleroderma
Xerocomus parasiticus 198
Scutigerella (animal)
Conidiobolus coronatus 878
Entomophthora 828
Septoria
Stephanoma phaeospora 582
Sequoia
Conidiobolus coronatus 337
Sesamum
Phoma exigua 709
Silpha (animal)
Entomophthora 827, 829
Sitobion (animal)
Entomophthora 828
Sitona (animal)
Entomophthora 828

Sitones (animal)
Entomophthora 828
Spartina
Alternaria 1298
Arthrinium phaeospermum 1298
Cephalosporium 1298
Chaetomium funicolum 1298
Cirrenalia macrocephala 1298
Claviceps purpurea 1298
Corollospora maritima 1298
Dendryphiella arenaria 1298; salina 1298
Dictyosporium pelagicum 1298
Epicoccum nigrum 1298
Haligena spartinae 1298
Leptosphaeria albopunctata 1298; discors 1298; pelagica 1298; typharum 1298
Lulworthia floridana 1298
Microthecium levitum 1298
Monodictys pelagica 1298
Nais inornata 1298
Pestalotia planimi 1298
Phoma 1298
Pleospora 1298; herbarum var herbarum 1298
Remispora hamata 1298
Rosellinia 1298
Septoria 1298
Sphaerulina pedicellata 1298
Sphagnum
Fuligo septica 401
Spilosoma (animal)
Entomophthora 828
Stemonitis
Nectria candicans 415; myxomycetícola 411; rexiana 195
Penicillium 196
Verticillium rexianum 412
Stereum
Gliocladium penicillioides 196
Herpotrichiella spinifera 195
Melanospora lagenaria 195

Taxodium
Minakatella longifila 771
Taxus
Aleurodiscus taxicola 1255
Tetranychus (animal)
Entomophthora fresenii 831; tetranychi 831
Thallassia
Labyrinthula 1303
Theobroma
Thielavia setosa 1069
Therioaphis (animal)
Entomophthora obscura 829; thaxteriana 829; virulenta 829
Therrya
Cornutispora limaciformis 763
Thielaviopsis
Stephanoma phaeospora 582
Thuja
Phialophora botulispora 679
Sistotrema brinkmannii 1240
Tilia
Pleurotus 33; sapidus 28
Tipula (animal)
Entomophthora major 830; thaxteri 830
Tortrix (animal)
Entomophthora apiculata 830
Trichia
Verticillium rexianum 412
Trifolium
Stemphylium sarciniforme 196
Triodia
Rhynchosporina tridentis 196
Tritirachium
Stephanoma phaeospora 582
Tsuga
Phialophora melinii 675
Phellinus punctatus 197
Uredo holwayi 437
Typhlocyba (animal)
Entomophthora apiculata 829

Ulmus
Dendrothele griseo-cana 197
Pleurotus 33; sapidus 28
Ustilago
Stephanoma phaeospora 583

Vitis
Elsinoe ampelina 1127
Gloeosporium ampelophagum 1128
Volvox
Chytridium ottariensis 531
Vaccinium
Pucciniastrum vaccinii 437
Vernonia
Coleosporium vernoniae 196
Veronica
Sorosphaera veronicae 220
Viola
Puccinia violae 198

Xanthorhoe (animal)
Entomophthora apiculata 830

Zea
Cochliobolus heterostrophus 705